

Version: 1.2

	ibstance/mixture and of the company/undertaking
I.1. Product identifier	
Product form	: Substance
Substance name CAS-No.	: HPLC Silica
	: 112926-00-8
Formula	: (SiO2)×(H2O)y
Synonyms	
BIG No	: 24353
	bstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory use.
Use of the substance/mixture	: Laboratory use
1.3. Details of the supplier of the safety	y data sheet
Phenomenex, Inc. 411 Madrid Ave. 90501 Torrance, CA - United States T 310-212-0555 - F 310-328-7768 info@phenomenex.com - www.phenomenex.co	<u>om</u>
1.4. Emergency telephone number	
Emergency number	: INFOTRAC assistance (United States): +1-800-535-5053 INFOTRAC assistance (Outside United States): +1-352-323-3500
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
GHS-US classification	
Not classified	
2.2. Label elements	
According to EC directives or the correspondin	ng national regulations there is no labelling obligation for this product.
GHS-US labelling	
No labelling applicable	
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
lo data available	
	ion on ingradianta
SECTION 3: Composition/informati	
3.1. Substances	
Name	: HPLC Silica
CAS-No.	: 112926-00-8
Full text of H-statements: see section 16	
3.2. Mixtures	
lot applicable	
SECTION 4: First aid measures	
SECTION 4: First aid measures 1.1. Description of first aid measures	
SECTION 4: First aid measures .1. Description of first aid measures First-aid measures general	: If you feel unwell, seek medical advice.
ECTION 4: First aid measures 1. Description of first aid measures First-aid measures general First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.
ECTION 4: First aid measures .1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.Wash with water and soap. Take victim to a doctor if irritation persists.
SECTION 4: First aid measures I.1. Description of first aid measures	 Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Wash with water and soap. Take victim to a doctor if irritation persists. Rinse with water. Take victim to an ophthalmologist if irritation persists. Do not apply neutralizing agents.
ECTION 4: First aid measures 1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	 Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Wash with water and soap. Take victim to a doctor if irritation persists. Rinse with water. Take victim to an ophthalmologist if irritation persists. Do not apply
SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Wash with water and soap. Take victim to a doctor if irritation persists. Rinse with water. Take victim to an ophthalmologist if irritation persists. Do not apply neutralizing agents. Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Consult a doctor/medical service if you feel unwell. Call Poison Information Centre (www.big.be/antigif.html).
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Wash with water and soap. Take victim to a doctor if irritation persists. Rinse with water. Take victim to an ophthalmologist if irritation persists. Do not apply neutralizing agents. Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Consult a doctor/medical service if you feel unwell. Call Poison Information Centre (www.big.be/antigif.html).
SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion 4.2. Most important symptoms and effe	 Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Wash with water and soap. Take victim to a doctor if irritation persists. Rinse with water. Take victim to an ophthalmologist if irritation persists. Do not apply neutralizing agents. Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Consult a doctor/medical service if you feel unwell. Call Poison Information Centre (www.big.be/antigif.html).

Symptoms/effects after eye contact : Slight irritation. Chronic symptoms : ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Possible inflammation of the	Symptoms/effects after skin contact	: ON CONTINUOUS EXPOSURE/CONTACT: Dry skin.
Chronic symptoms : ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Possible inflammation of the	, i	. ON CONTINUOUS EXPOSICIL/CONTACT. Dry skin.
	Symptoms/effects after eye contact	: Slight irritation.
	Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Possible inflammation of the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Adapt extinguishing media to the environment.
Unsuitable extinguishing media	: No unsuitable extinguishing media known.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: DIRECT FIRE HAZARD: Non combustible. INDIRECT FIRE HAZARD: Reactions involving a fire hazard: see "Reactivity Hazard".
Explosion hazard	: INDIRECT EXPLOSION HAZARD: Reactions with explosion hazards: see "Reactivity Hazard".
Reactivity	: At very high temperature: release of carcinogenic products. Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECT	ION 6: Accidental release me	asures
6.1.	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
Prote	ctive equipment	: Gloves. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. See "Material-Handling" to select protective clothing.
Emer	gency procedures	: Mark the danger area. Prevent dust cloud formation, e.g. by wetting. Wash contaminated clothes.
Meas	ures in case of dust release	: In case of dust production: keep upwind. Dust production: have neighbourhood close doors a windows.
6.1.2.	For emergency responders	
Prote	ctive equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emer	gency procedures	: Ventilate area.
6.2.	Environmental precautions	
Avoid r	elease to the environment. Prevent ent	y to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
6.3.	Methods and material for contain	nent and cleaning up
For co	ontainment	 Contain released product, pump into suitable containers. Consult "Material-handling" to selec material of containers. Plug the leak, cut off the supply. Knock down/dilute dust cloud with water spray.
Metho	ods for cleaning up	: Stop dust cloud by humidifying. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.
Other	information	: Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
See He	ading 8. Exposure controls and persor	al protection. For further information refer to section 13.
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	

7.1. Precautions for safe handling	
Precautions for safe handling	: Comply with the legal requirements. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Avoid raising dust. Observe normal hygiene standards. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.
Hygiene measures	: Gently wash with plenty of soap and water. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	: Keep container closed when not in use. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Direct sunlight.
Information on mixed storage	: KEEP SUBSTANCE AWAY FROM: oxidizing agents. (strong) acids. (strong) bases.
Storage area	: Store in a dry area. Keep container in a well-ventilated place. Meet the legal requirements.
Special rules on packaging	: SPECIAL REQUIREMENTS: closing. watertight. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
Packaging materials	: SUITABLE MATERIAL: paper. synthetic material. polyethylene. glass.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
HPLC Silica (112926-00-8)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	80 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf
USA OSHA	Remark (OSHA)	(3) See Table Z-3.
Silica (112926-00-8)		
USA OSHA	Remark (OSHA)	(3) See Table Z-3.
8.2. Exposure controls		
Appropriate engineering controls : Either local exhaust or general room ventilation is usually required. Ensure good ventilation of the work station.		
Personal protective equipment : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.		

Materials for protective clothing	: GIVE GOOD RESISTANCE: rubber.
Hand protection	: Gloves.
Eye protection	: Safety glasses. In case of dust production: protective goggles.
Skin and body protection	: Protective clothing.
Respiratory protection : Dust production: dust mask with filter type P2.	
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.
SECTION 0. Physical and shami	a l proportion
SECTION 9: Physical and chemic	
9.1. Information on basic physical a	and chemical properties
Physical state	: Solid

Physical state	: Solid
Appearance	: Amorphous solid. Amorphous powder.
Molecular mass	: 78.11 g/mol
Colour	: White.
Odour	: Odourless.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 1700 °C
Freezing point	: Not applicable
Boiling point	: 2230 °C
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available

Luna 10 µm C8(2) 100 Å (Media 5294)

Safety Data Sheet

Relative density	: 2.1
Solubility	: Poorly soluble in water. Substance sinks in water. Soluble in hydrogenfluoride. Water: 0.15 g/100ml
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable
9.2. Other information	
Minimum ignition energy	: Not applicable
VOC content	: Not applicable
Other properties	: Hygroscopic. May generate electrostatic charges.

SECTION 10: Stabilit	v and reactivity

10.1. Reactivity

At very high temperature: release of carcinogenic products. Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion.

10.2.	Chemical stability	
Hygroscopic.		
10.3.	Possibility of hazardous reactions	
Not esta	blished.	
10.4.	Conditions to avoid	
Direct sunlight. Extremely high or low temperatures.		
10.5.	Incompatible materials	
No additional information available		

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified						
HPLC Silica (\f)112926-00-8							
LD50 oral rat	> 5000 mg/kg (Rat)						
Silica (112926-00-8)							
LD50 oral rat	> 5000 mg/kg (Rat)						
Skin corrosion/irritation	: Not classified						
Serious eye damage/irritation	: Not classified						
Respiratory or skin sensitisation	: Not classified						
Germ cell mutagenicity	: Not classifiedBased on available data, the classification criteria are not met						
Carcinogenicity	: Not classified						
HPLC Silica (112926-00-8)							
IARC group	3						
Silica (112926-00-8)							
IARC group	3						
Reproductive toxicity	: Not classifiedBased on available data, the classification criteria are not met						
STOT-single exposure	: Not classified						
STOT-repeated exposure	: Not classifiedBased on available data, the classification criteria are not met						
Aspiration hazard	: Not classifiedBased on available data, the classification criteria are not met						
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.						
Symptoms/effects after inhalation	: AFTER INHALATION OF DUST: Coughing. Irritation of the respiratory tract.						
Symptoms/effects after skin contact	: ON CONTINUOUS EXPOSURE/CONTACT: Dry skin.						
Symptoms/effects after eye contact	: Slight irritation.						

Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Possible inflammation of the respiratory tract.			
SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.			
Ecology - air	Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). TA-Luft Klasse 5.2.1.			
Ecology - water	No water pollutant (surface water). Not harmful to fishes. Not harmful to invertebrates (Daphnia). Insufficient data available on ecotoxicity.			
HPLC Silica (112926-00-8)				
LC50 fish 1	≥ 10000 mg/l (EC0; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio)			
Silica (112926-00-8)				
LC50 fish 1	≥ 10000 mg/l (EC0; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio)			
12.2. Persistence and degradability				
HPLC Silica (112926-00-8)				
Persistence and degradability	Biodegradability: not applicable.			
Biochemical oxygen demand (BOD)	Not applicable			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
Silica (112926-00-8)				
Persistence and degradability	Biodegradability: not applicable.			
Biochemical oxygen demand (BOD)	Not applicable			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
12.3. Bioaccumulative potential				
HPLC Silica (112926-00-8)				
Bioaccumulative potential	No bioaccumulation data available.			
Silica (112926-00-8)				
Bioaccumulative potential	No bioaccumulation data available.			
12.4. Mobility in soil				
No additional information available				
12.5. Other adverse effects				
Other information	: Avoid release to the environment.			
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Product/Packaging disposal recommendations	: Dehydrate/make insoluble. Remove to an authorized dump. Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.			
Additional information	: Can be considered as non hazardous waste according to Directive 2008/98/EC.			
Ecology - waste materials	: Avoid release to the environment.			
SECTION 14: Transport information				
In accordance with ADR / RID / IMDG / IATA / ADN 14.1. UN number				
14.1. UN number Not applicable				
14.2. UN proper shipping name Not applicable Image: Comparison of the second				
14.3. Additional information				
Other information	: No supplementary information available.			
Overland transport				
No additional information available				
Transport by sea				
No additional information available				
28/08/2020	EN (English) 5/7			
	, g -: j			

Safety Data Sheet

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Silica (112926-00-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Silica (112926-00-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

No additional information available

15.3. US State regulations

HPLC Silica(112926-00-8)									
U.S California - Proposition 65 - Carcinogens List		No							
U.S California - Proposition 65 - Developmental Toxicity		No							
U.S California - Proposition 65 - Reproductive Toxicity - Female		No							
U.S California - Proposition 65 - Reproductive Toxicity - Male		No							
Silica (112926-00-8)									
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)				
No	No		No	No					
Silica (112926-00-8)									
State or local regulations									
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List									

28/08/2020

SECTION 16: Other information

Hazard Rating

PHX US GHS

Copyright 2012 Phenomenex, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the the properties of the product. Phenomenex, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenomenex.com for additional terms and conditions of sale.