

# Safety Data Sheet

Date of issue: 27/05/2016 Revision date: Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product form : Mixture

Product name Custom IS/SS Mix Product code AL0-130033 Product group Trade product

### Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Laboratory Use Industrial/Professional use spec Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

### Details of the supplier of the safety data sheet

Phenova

6390 Joyce Dr. Suite 100

80403 Golden, CO - United States

T 1-866-942-2978 - F 1-866-283-0269

info@phenova.com - www.phenova.com

### 1.4. Emergency telephone number

Emergency number ChemTel Assistance (US/Canada) 1-800-255-3924

ChemTel Assistance (International) +1 813-248-0585

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

H225 Flam. Liq. 2 Acute Tox. 3 (Oral) H301 Acute Tox. 3 (Dermal) H311 STOT SE 1 H370

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11

T; R23/24/25

T; R39/23/24/25

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### Label elements

### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS06

Signal word (CLP) : Danger Hazardous ingredients methanol

Hazard statements (CLP) H225 - Highly flammable liquid and vapor

H301+H311 - Toxic if swallowed or in contact with skin

H370 - Causes damage to organs

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

27/05/2016 EN (English US) 1/7

# Safety Data Sheet

smoking

P233 - Keep container tightly closed

P260 - Do not breathe dust/fume/gas/mist/vapors/spray P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P308+P313 - IF exposed or concerned: Get medical advice/attention

P361+P364 - Take off immediately all contaminated clothing and wash it before reuse

P403+P235 - Store in a well-ventilated place. Keep cool

No labeling applicable

#### 2.3. Other hazards

No additional information available

# SECTION 3: Composition/information on ingredients

#### Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	99.5	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370	
toluene-D8 (Component)	(CAS No) 2037-26-5 (EC no) 218-009-5 (EC index no) 601-021-00-3	0.25	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304	
Name	Product identifier	Specific of	concentration limits	
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X		(3 = <c 10)="" 2,="" <="" h371<br="" se="" stot="">(C &gt;= 10) STOT SE 1, H370</c>	

### SECTION 4: First aid measures

# 4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. Call a POISON CENTER or

doctor/physician. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. First-aid measures after skin contact

Immediately call a poison center or doctor/physician. Wash with plenty of soap and water.

Wash contaminated clothing before reuse.

First-aid measures after eye contact Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with

water for several minutes. Obtain medical attention if pain, blinking or redness persist.

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a First-aid measures after ingestion

poison center or doctor/physician.

### Most important symptoms and effects, both acute and delayed

Repeated exposure to this material can result in absorption through skin causing significant Symptoms/injuries after skin contact

health hazard. Toxic in contact with skin.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health

hazard.

## Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

# Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

27/05/2016 EN (English US) 2/7

# Safety Data Sheet

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapors/spray.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up in absorbent material. Collect spillage.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools.

Hygiene measures : Do not eat, drink or smoke when using this product. Gently wash with plenty of soap and water.

Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before

reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed. Keep container tightly closed and in a

well-ventilated place. Keep away from any flames or sparking source.

Incompatible materials : Direct sunlight. Heat sources.

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

Personal protective equipment : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety

glasses.





Hand protection : Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration.

penetration.

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin

contact.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended.

Other information : Do not eat, drink or smoke during use.

27/05/2016 EN (English US) 3/7

# Safety Data Sheet

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Colorless. Odor characteristic. рΗ No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor

Relative density : No data available Solubility : No data available Explosive properties : No data available Oxidizing properties : No data available Explosion limits : No data available

### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

May release flammable gases.

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.

Custom Is/SS Mix           ATE CLP (oral)         100.503 mg/kg body weight           ATE CLP (dermal)         301.508 mg/kg body weight           toluene-D8 (2037-26-5)           LD50 oral rat         > 2000 mg/kg (Rat)           LD50 dermal rat         > 20 mg/kg (Rat)           LD50 dermal rabbit         > 5000 mg/kg (Rabbit)           LC50 inhalation rat (mg/l)         > 20 mg/l/4h (Rat)           methanol (67-56-1)           LD50 oral rat         > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)           LD50 dermal rabbit         15800 mg/kg (Rabbit; Literature study)           LC50 inhalation rat (mg/l)         85 mg/l/4h (Rat; Literature study)           LC50 inhalation rat (ppm)         64000 ppm/4h (Rat; Literature study)           ATE CLP (oral)         100.000 mg/kg body weight           ATE CLP (dermal)         300.000 mg/kg body weight           ATE CLP (gases)         700.000 ppmV/4h           ATE CLP (vapors)         3.000 mg/l/4h           ATE CLP (dust, mist)         0.500 mg/l/4h		
ATE CLP (dermal)         301.508 mg/kg body weight           toluene-D8 (2037-26-5)         **D50 oral rat         > 2000 mg/kg (Rat)           LD50 dermal rat         > 20 mg/kg (Rat)         **D50 dermal rabbit         **D50 mg/kg (Rabbit)           LD50 dermal rabbit         > 5000 mg/kg (Rabbit)         **D50 mg/kg (Rabbit)           LD50 oral rat         > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)           LD50 dermal rabbit         15800 mg/kg (Rabbit; Literature study)           LC50 inhalation rat (mg/l)         85 mg/l/4h (Rat; Literature study)           LC50 inhalation rat (ppm)         64000 ppm/4h (Rat; Literature study)           ATE CLP (oral)         100.000 mg/kg body weight           ATE CLP (dermal)         300.000 mg/kg body weight           ATE CLP (yapors)         3.000 mg/l/4h	Custom IS/SS Mix	
toluene-D8 (2037-26-5)           LD50 oral rat         > 2000 mg/kg (Rat)           LD50 dermal rat         > 20 mg/kg (Rat)           LD50 dermal rabbit         > 5000 mg/kg (Rabbit)           LC50 inhalation rat (mg/l)         > 20 mg/l/4h (Rat)           methanol (67-56-1)           LD50 oral rat         > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)           LD50 dermal rabbit         15800 mg/kg (Rabbit; Literature study)           LC50 inhalation rat (mg/l)         85 mg/l/4h (Rat; Literature study)           LC50 inhalation rat (ppm)         64000 ppm/4h (Rat; Literature study)           ATE CLP (oral)         100.000 mg/kg body weight           ATE CLP (dermal)         300.000 mg/kg body weight           ATE CLP (gases)         700.000 ppmV/4h           ATE CLP (vapors)         3.000 mg/l/4h	ATE CLP (oral)	100.503 mg/kg body weight
LD50 oral rat	ATE CLP (dermal)	301.508 mg/kg body weight
LD50 dermal rat         > 20 mg/kg (Rat)           LD50 dermal rabbit         > 5000 mg/kg (Rabbit)           LC50 inhalation rat (mg/l)         > 20 mg/l/4h (Rat)           methanol (67-56-1)           LD50 oral rat         > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)           LD50 dermal rabbit         15800 mg/kg (Rabbit; Literature study)           LC50 inhalation rat (mg/l)         85 mg/l/4h (Rat; Literature study)           LC50 inhalation rat (ppm)         64000 ppm/4h (Rat; Literature study)           ATE CLP (oral)         100.000 mg/kg body weight           ATE CLP (dermal)         300.000 mg/kg body weight           ATE CLP (gases)         700.000 ppmV/4h           ATE CLP (vapors)         3.000 mg/l/4h	toluene-D8 (2037-26-5)	
LD50 dermal rabbit         > 5000 mg/kg (Rabbit)           LC50 inhalation rat (mg/l)         > 20 mg/l/4h (Rat)           methanol (67-56-1)           LD50 oral rat         > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)           LD50 dermal rabbit         15800 mg/kg (Rabbit; Literature study)           LC50 inhalation rat (mg/l)         85 mg/l/4h (Rat; Literature study)           LC50 inhalation rat (ppm)         64000 ppm/4h (Rat; Literature study)           ATE CLP (oral)         100.000 mg/kg body weight           ATE CLP (dermal)         300.000 mg/kg body weight           ATE CLP (gases)         700.000 ppmV/4h           ATE CLP (vapors)         3.000 mg/l/4h	LD50 oral rat	> 2000 mg/kg (Rat)
LC50 inhalation rat (mg/l)         > 20 mg/l/4h (Rat)           methanol (67-56-1)         > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)           LD50 dermal rabbit         15800 mg/kg (Rabbit; Literature study)           LC50 inhalation rat (mg/l)         85 mg/l/4h (Rat; Literature study)           LC50 inhalation rat (ppm)         64000 ppm/4h (Rat; Literature study)           ATE CLP (oral)         100.000 mg/kg body weight           ATE CLP (dermal)         300.000 mg/kg body weight           ATE CLP (gases)         700.000 ppmV/4h           ATE CLP (vapors)         3.000 mg/l/4h	LD50 dermal rat	> 20 mg/kg (Rat)
methanol (67-56-1)  LD50 oral rat  > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)  LD50 dermal rabbit  15800 mg/kg (Rabbit; Literature study)  LC50 inhalation rat (mg/l)  B5 mg/l/4h (Rat; Literature study)  LC50 inhalation rat (ppm)  64000 ppm/4h (Rat; Literature study)  ATE CLP (oral)  100.000 mg/kg body weight  ATE CLP (dermal)  300.000 mg/kg body weight  ATE CLP (gases)  700.000 ppmV/4h  ATE CLP (vapors)  3.000 mg/l/4h	LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
LD50 oral rat  > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)  LD50 dermal rabbit  15800 mg/kg (Rabbit; Literature study)  LC50 inhalation rat (mg/l)  85 mg/l/4h (Rat; Literature study)  LC50 inhalation rat (ppm)  64000 ppm/4h (Rat; Literature study)  ATE CLP (oral)  100.000 mg/kg body weight  ATE CLP (dermal)  300.000 mg/kg body weight  ATE CLP (gases)  700.000 ppmV/4h  ATE CLP (vapors)  3.000 mg/l/4h	LC50 inhalation rat (mg/l)	> 20 mg/l/4h (Rat)
Evidence)           LD50 dermal rabbit         15800 mg/kg (Rabbit; Literature study)           LC50 inhalation rat (mg/l)         85 mg/l/4h (Rat; Literature study)           LC50 inhalation rat (ppm)         64000 ppm/4h (Rat; Literature study)           ATE CLP (oral)         100.000 mg/kg body weight           ATE CLP (dermal)         300.000 mg/kg body weight           ATE CLP (gases)         700.000 ppmV/4h           ATE CLP (vapors)         3.000 mg/l/4h	methanol (67-56-1)	
LC50 inhalation rat (mg/l)         85 mg/l/4h (Rat; Literature study)           LC50 inhalation rat (ppm)         64000 ppm/4h (Rat; Literature study)           ATE CLP (oral)         100.000 mg/kg body weight           ATE CLP (dermal)         300.000 mg/kg body weight           ATE CLP (gases)         700.000 ppmV/4h           ATE CLP (vapors)         3.000 mg/l/4h	LD50 oral rat	
LC50 inhalation rat (ppm)       64000 ppm/4h (Rat; Literature study)         ATE CLP (oral)       100.000 mg/kg body weight         ATE CLP (dermal)       300.000 mg/kg body weight         ATE CLP (gases)       700.000 ppmV/4h         ATE CLP (vapors)       3.000 mg/l/4h	LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
ATE CLP (oral)       100.000 mg/kg body weight         ATE CLP (dermal)       300.000 mg/kg body weight         ATE CLP (gases)       700.000 ppmV/4h         ATE CLP (vapors)       3.000 mg/l/4h	LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
ATE CLP (dermal)         300.000 mg/kg body weight           ATE CLP (gases)         700.000 ppmV/4h           ATE CLP (vapors)         3.000 mg/l/4h	LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
ATE CLP (gases)         700.000 ppmV/4h           ATE CLP (vapors)         3.000 mg/l/4h	ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (vapors) 3.000 mg/l/4h	ATE CLP (dermal)	300.000 mg/kg body weight
	ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (dust, mist) 0.500 mg/l/4h	ATE CLP (vapors)	3.000 mg/l/4h
	ATE CLP (dust, mist)	0.500 mg/l/4h

27/05/2016 EN (English US) 4/7

# Safety Data Sheet

Skin corrosion/irritation : Not classified

Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitization : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

May cause cancer

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Causes damage to organs.

Specific target organ toxicity (repeated

exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

Toxic if swallowed. Toxic in contact with skin.

## SECTION 12: Ecological information

### 12.1 Toxicity

toluene-D8 (2037-26-5)		
LC50 fish 1	24 mg/l (LC50; 96 h)	
EC50 Daphnia 2	11.5 - 19.6 mg/l (EC50; 48 h)	
methanol (67-56-1)		
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)	
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
LC50 fish 2	10800 mg/l (LC50: 96 h: Salmo gairdneri)	

12.2.	and degradability

Custom IS/SS MIX		
Persistence and degradability	Not established.	
toluene-D8 (2037-26-5)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.	
Biochemical oxygen demand (BOD)	2.15 g O /g substance	
Chemical oxygen demand (COD)	2.52 g O /g substance	
ThOD	3.13 g O /g substance	
BOD (% of ThOD)	0.69	

methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O /g substance
Chemical oxygen demand (COD)	1.42 g O /g substance
ThOD	1.5 g O /g substance
BOD (% of ThOD)	0.8 (Literature study)

# 12.3. Bioaccumulative potential

Custom IS/SS Mix

BCF fish 1

Bioaccumulative potential	Not established.
toluene-D8 (2037-26-5)	
BCF fish 1	13.2 (BCF)
BCF other aquatic organisms 1	380 (BCF; 24 h; Chlorella sp.)
BCF other aquatic organisms 2	4.2 (BCF)
Log Pow	2.11 - 2.8
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
methanol (67-56-1)	

27/05/2016 EN (English US) 5/7

< 10 (BCF; 72 h; Leuciscus idus)

# Safety Data Sheet

methanol (67-56-1)		
Log Pow	-0.77 (Experimental value; Other)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

### 12.4. Mobility in soil

methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
Log Koc	Koc,PCKOCWIN v1.66; 1; Calculated value

### 12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

### SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

# SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1992 UN-No. (IATA) : 1992

14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IATA) : FLAMMABLE LIQUID, TOXIC, N.O.S.

Transport document description (ADR) : UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (FLAMMABLE LIQUID, TOXIC, N.O.S.), 3

(6.1), II, (D/E)

### 14.3. Packing group

 Class (ADR)
 : 3

 Classification code (ADR)
 : FT1

 Class (IATA)
 : 3

 Subsidiary risks (ADR)
 : 6.1

 Hazard labels (ADR)
 : 3, 6.1



Hazard labels (IATA) : 3, 6.1



14.4. Packing group

Packing group (ADR) : II Packing group (IATA) : II

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 336 Classification code (ADR) : FT1

Orange plates :

336 1992

27/05/2016 EN (English US) 6/7

# Safety Data Sheet

Special provision (ADR) : 274

Transport category (ADR) : 2

Tunnel restriction code (ADR) : D/E

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E2

### 14.6.2. Transport by sea

No additional information available

### 14.6.3. Air transport

CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L PCA packing instructions (IATA) : 352 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA max net quantity (IATA) : 1L PCA Excepted quantities (IATA) : E2 ERG code (IATA) : 3HP

#### 14.6.4. Inland waterway transport

Carriage prohibited (ADN) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.

27/05/2016 EN (English US) 7/7