

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 08/04/2014 Revision date: 10/04/2015 : Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 8260 Surrogate Standard 1

Product code : AL0-101214
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory Use Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Certified reference material for laboratory use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Phenova

6390 Joyce Dr. Suite 100

80403 Golden, CO - United States

T 1-866-942-2978 - F 1-866-283-0269

info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924

ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225
Acute Tox. 3 (Oral) H301
Acute Tox. 3 (Dermal) H311
Carc. 1B H350
STOT SE 1 H370

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.2; R45

F; R11

T; R23/24/25

T; R39/23/24/25

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02





GHS06

GHS08

Signal word (CLP) : Danger

Hazardous ingredients : 1,2-Dichloroethane-d4, methanol

Hazard statements (CLP) : H225 - Highly flammable liquid and vapor

15/04/2015 EN (English US) 1/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

H301+H311 - Toxic if swallowed or in contact with skin

H350 - May cause cancer H370 - Causes damage to organs

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 - Keep container tightly closed

P260 - Do not breathe dust, fume, gas, mist, spray, vapors P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308+P313 - IF exposed or concerned: Get medical advice/attention

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

No labeling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	99	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Demal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370	
1,2-Dichloroethane-d4 (Component) substance listed as REACH Candidate (1,2-dichloroethane) substance listed in REACH Annex XIV (1,2-dichloroethane (EDC))	(CAS No) 17060-07-0 (EC no) 203-458-1 (EC index no) 602-012-00-7	0.25	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 1B, H350 STOT SE 3, H335	
toluene-D8 (Component)	(CAS No) 2037-26-5 (EC no) 218-009-5 (EC index no) 601-021-00-3	0.25	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304	
Name	Product identifier	Specific of	concentration limits	
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X		(3 =< C < 10) STOT SE 2, H371 (C >= 10) STOT SE 1, H370	

SECTION 4: First aid measures

First-aid measures after skin contact

4.1.	Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. Call a POISON CENTER or

doctor/physician. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Wash with plenty of soap and water.

Wash contaminated clothing before reuse.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with

water for several minutes. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a

poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Toxic in contact with skin.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health

hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

15/04/2015 EN (English US) 2/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapors/spray.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Hygiene measures : Do not eat, drink or smoke when using this product. Gently wash with plenty of soap and water.

Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before

reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed. Keep container tightly closed and in a

well-ventilated place. Keep away from any flames or sparking source.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

15/04/2015 EN (English US) 3/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Personal protective equipment : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.







Hand protection : Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical

penetration.

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin

contact

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Color Colorless. Odor characteristic. рΗ No data available No data available Melting point Freezing point : No data available : No data available Boiling point Flash point : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor

Relative density : No data available Solubility : No data available Explosive properties : No data available Oxidizing properties : No data available Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established. Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.

8260 Surrogate Standard 1	
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight

15/04/2015 EN (English US) 4/1

8260 Surrogate Standard 1 Safety Data Sheet according to Regulation (EC) No. 453/2010

1,2-Dichloroethane-d4 (17060-07-0)	
LD50 oral rat	670 mg/kg (Rat)
LD50 dermal rabbit	2800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (ppm)	1000 ppm
ATE CLP (oral)	670.000 mg/kg body weight
ATE CLP (dermal)	2800.000 mg/kg body weight
toluene-D8 (2037-26-5)	
LD50 oral rat	> 2000 mg/kg (Rat)
LD50 dermal rat	> 20 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 20 mg/l/4h (Rat)
methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h
Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
	Based on available data, the classification criteria are not met
Respiratory or skin sensitization	: Not classified
, ,	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
,	Based on available data, the classification criteria are not met
Carcinogenicity	: May cause cancer.
	May cause cancer
Depre dustive texticity	•
Reproductive toxicity	: Not classified
0 15 1 1 1 1 1 1 1 1 1 1	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Causes damage to organs.
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
•	

SECTION 12: Ecological information

Potential Adverse human health effects and

symptoms

1,2-Dichloroethane-d4 (17060-07-0)	
LC50 fish 1	225 mg/l (96 h; Oncorhynchus mykiss (rainbow trout)
EC50 Daphnia 1	540 mg/l (24 h; Daphnia magna)
TLM fish 1	150 mg/l (Lagodon rhomboides)
Threshold limit algae 1	710 mg/l (Scenedesmus subspicatus)
Threshold limit algae 2	105 mg/l (192 h; Microcystis aeruginosa)
toluene-D8 (2037-26-5)	
LC50 fish 1	24 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Non deuterium form)
EC50 Daphnia 1	84 mg/l (24 h; Daphnia magna; Non deuterium form)
EC50 other aquatic organisms 1	135 mg/l (336 h; Selenastrum capricornutum; Non deuterium form)
LC50 fish 2	35 mg/l (96 h; Oryzias latipes; Non deuterium form)
EC50 Daphnia 2	11.5 - 19.6 mg/l (48 h; Daphnia magna; Non deuterium form)
TLM fish 1	24 mg/l (96 h; Lepomis macrochirus; Non deuterium form)
TLM fish 2	34 - 56,96 h; Pimephales promelas; Non deuterium form

: Toxic if swallowed. Toxic in contact with skin.

Based on available data, the classification criteria are not met

15/04/2015 EN (English US) 5/1

8260 Surrogate Standard 1 Safety Data Sheet according to Regulation (EC) No. 453/2010

toluene-D8 (2037-26-5)	
Threshold limit algae 1	> 400 mg/l (Scenedesmus quadricauda; Non deuterium form)
Threshold limit algae 2	105 mg/l (Microcystis aeruginosa; Non deuterium form)
methanol (67-56-1)	
LC50 fish 1	15400 mg/l (96 h; Lepomis macrochirus; Lethal)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna; Lethal)
LC50 fish 2	10800 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 2	24500 mg/l (48 h; Daphnia magna; Locomotor effect)
Threshold limit other aquatic organisms 1	6600 mg/l (16 h; Pseudomonas putida)
Threshold limit algae 1	530 mg/l (192 h; Microcystis aeruginosa)
Threshold limit algae 2	8000 mg/l (168 h; Scenedesmus quadricauda)
12.2. Persistence and degradability	
8260 Surrogate Standard 1	
Persistence and degradability	Not established.
1,2-Dichloroethane-d4 (17060-07-0)	
Persistence and degradability	Not readily biodegradable in water. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.0014 g O□ /g substance
Chemical oxygen demand (COD)	1.025 g O□ /g substance
ThOD	0.98 g O□ /g substance
BOD (% of ThOD)	0.001 % ThOD
toluene-D8 (2037-26-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	2.15 g O□ /g substance
Chemical oxygen demand (COD)	2.52 g O□ /g substance
ThOD	3.13 g O□ /g substance
BOD (% of ThOD)	0.69 % ThOD
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O□ /g substance
Chemical oxygen demand (COD)	1.42 g O□ /g substance
ThOD	1.5 g O□ /g substance
BOD (% of ThOD)	0.8 % ThOD
12.3. Bioaccumulative potential	
8260 Surrogate Standard 1	
Bioaccumulative potential	Not established.
1,2-Dichloroethane-d4 (17060-07-0)	
BCF fish 1	2 (336 h; Lepomis macrochirus)
Log Pow	1.45 - 1.48 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
toluene-D8 (2037-26-5)	
BCF fish 1	13.2 (Anguilla japonica; Non deuterium form)
BCF other aquatic organisms 1	380 (24 h; Chlorella sp.; Non deuterium form)
BCF other aquatic organisms 2	4.2 (Mytilus edulis; Non deuterium form)
Log Pow	2.11 - 2.8
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
methanol (67-56-1)	
BCF fish 1	< 10 (72 h; Leuciscus idus)
BCF fish 2	1 (72 h; Cyprinus carpio; Blood)
Log Pow	-0.77 (Experimental value; Other)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
12.4. Mobility in soil	
1,2-Dichloroethane-d4 (17060-07-0)	0.032 N/m (20 °C)
Surface tension	0.032 N/m (20 °C)
methanol (67-56-1)	0.000 N/. (00.00)
Surface tension	0.023 N/m (20 °C)
12.5. Results of PBT and vPvB assessment	

15/04/2015 EN (English US) 6/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Component	
(17060-07-0)	This substance/mixture does not meet the PBT criteria of REACH, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1992 UN-No. (IATA) : 1992

14.2. UN proper shipping name

Proper Shipping Name (ADR)

Proper Shipping Name (IATA)

Proper Shipping Name (IMDG)

Proper Shipping Name (IMDG)

Proper Shipping Name (ADN)

FLAMMABLE LIQUID, TOXIC, N.O.S.

FLAMMABLE LIQUID, TOXIC, N.O.S.

Transport document description (ADR) : UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol(67-56-1)), 3 (6.1), II, (D/E)

14.3. Packing group

 Class (ADR)
 : 3

 Classification code (ADR)
 : FT1

 Class (IATA)
 : 3

 Class (IMDG)
 : 3

 Class (ADN)
 : 3

 Subsidiary risks (ADR)
 : 6.1

 Hazard labels (ADR)
 : 3, 6.1



Hazard labels (IATA) : 3, 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IATA) : II

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 336
Classification code (ADR) : FT1

Orange plates

336 1992

Special provision (ADR) : 274
Transport category (ADR) : 2

15/04/2015 EN (English US) 7/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Tunnel restriction code (ADR) : D/E
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) 60L PCA packing instructions (IATA) : 352 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA max net quantity (IATA) : 1L PCA Excepted quantities (IATA) : E2 ERG code (IATA) : 3HP

14.6.4. Inland waterway transport

Carriage prohibited (ADN) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains substance on the candidate list in concentration ≥ 0.1% or with a lower specific limit: 1,2-dichloroethane (EC 203-458-1, CAS 17060-07-0) Contains REACH Annex XIV substances:

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.

15/04/2015 EN (English US) 8/1