

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 08/04/2014 Revision date: 10/04/2015 : Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : California Oxygenates Standard

Product code : AL0-101208
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory Use Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Certified reference material for laboratory use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Phenova

6390 Joyce Dr. Suite 100

80403 Golden, CO - United States

T 1-866-942-2978 - F 1-866-283-0269

info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924

ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225
Acute Tox. 3 (Oral) H301
Acute Tox. 3 (Dermal) H311
STOT SE 1 H370

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11

T; R23/24/25

T; R39/23/24/25

R19

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02





GHS06

GHS08

Signal word (CLP) : Danger
Hazardous ingredients : methanol

Hazard statements (CLP) : H225 - Highly flammable liquid and vapor

H301+H311 - Toxic if swallowed or in contact with skin

15/04/2015 EN (English US) 1/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

H370 - Causes damage to organs

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 - Keep container tightly closed

P260 - Do not breathe dust, fume, gas, mist, spray, vapors P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective clothing, protective gloves, eye protection, face protection

P308+P313 - IF exposed or concerned: Get medical advice/attention

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P271 - Use only outdoors or in a well-ventilated area

EUH phrases : EUH019 - May form explosive peroxides

No labeling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|-------------|--|
| methanol (Component) | (CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X | 98.2 | Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370 |
| tert-Butanol (Component) | (CAS No) 75-65-0 (EC no) 200-889-7 (EC index no) 603-005-00-1 | 1 | Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H335 |
| tert-Butyl Methyl Ether (MTBE) (Component) substance with a Community workplace exposure limit | (CAS No) 1634-04-4 (EC no) 216-653-1 (EC index no) 603-181-00-X | 0.2 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 |
| Name | Product identifier | Specific of | concentration limits |
| methanol (Component) | (CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X | | 0) STOT SE 2, H371 STOT SE 1, H370 |

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. Call a POISON CENTER or

doctor/physician. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

Immediately call a poison center or doctor/physician. Wash with plenty of soap and water.

Wash contaminated clothing before reuse.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with

water for several minutes. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a

poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Toxic in contact with skin.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health

hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

15/04/2015 EN (English US) 2/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture. Heat may build pressure, rupturing closed

containers, spreading fire and increasing risk of burns and injuries. May form explosive

peroxides.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire

reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapors/spray.

Emergency procedures : Ventilate area

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Hazardous waste

due to potential risk of explosion.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools. Keep away from sources

of ignition - No smoking.

Hygiene measures : Do not eat, drink or smoke when using this product. Gently wash with plenty of soap and water.

Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before

reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed. Keep container tightly closed and in a

well-ventilated place. Keep away from any flames or sparking source.

Incompatible products : Strong bases. Strong acids. Oxidizing agent.
Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

Personal protective equipment : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety

glasses.







15/04/2015 EN (English US) 3/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hand protection : Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical

penetration.

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin

contact.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Colorless. Odor : characteristic. No data available рΗ Melting point No data available Freezing point No data available Boiling point : No data available No data available Flash point Auto-ignition temperature No data available Decomposition temperature No data available

Flammability (solid, gas) : Highly flammable liquid and vapor

Relative density : No data available Solubility : No data available

Explosive properties : May form explosive peroxides.

Oxidizing properties : No data available Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

California Ov

No additional information available

10.2. Chemical stability

Not established. Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established. Reacts vigorously with strong oxidizers and acids.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Heat. Sparks. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agent.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases. May form explosive peroxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.

| California Oxygenates Standard | | |
|--------------------------------|---|--|
| ATE CLP (oral) | 100.000 mg/kg body weight | |
| ATE CLP (dermal) | 300.000 mg/kg body weight | |
| tert-Butanol (75-65-0) | | |
| LD50 oral rat | 3500 mg/kg (Rat; Literature study) | |
| LD50 dermal rabbit | > 2000 mg/kg (Rabbit; Literature study) | |
| LC50 inhalation rat (ppm) | > 10000 ppm/4h (Rat; Literature study) | |
| ATE CLP (oral) | 3500.000 mg/kg body weight | |
| ATE CLP (gases) | 4500.000 ppmV/4h | |
| ATE CLP (vapors) | 11.000 mg/l/4h | |
| ATE CLP (dust, mist) | 1.500 mg/l/4h | |

15/04/2015 EN (English US) 4/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| tert-Butyl Methyl Ether (MTBE) (1634-04-4) | |
|--|----------------------------|
| LD50 oral rat | 4000 mg/kg (Rat) |
| LD50 dermal rat | > 6800 mg/kg (Rat) |
| LD50 dermal rabbit | > 10000 mg/kg (Rabbit) |
| LC50 inhalation rat (mg/l) | 85 mg/l/4h (Rat) |
| LC50 inhalation rat (ppm) | 23576 ppm/4h (Rat) |
| ATE CLP (oral) | 4000.000 mg/kg body weight |
| ATE CLP (gases) | 23576.000 ppmV/4h |
| ATE CLP (vapors) | 85.000 mg/l/4h |
| ATE CLP (dust, mist) | 85.000 mg/l/4h |

| methanol (67-56-1) | |
|----------------------------|--|
| LD50 oral rat | > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) |
| LD50 dermal rabbit | 15800 mg/kg (Rabbit; Literature study) |
| LC50 inhalation rat (mg/l) | 85 mg/l/4h (Rat; Literature study) |
| LC50 inhalation rat (ppm) | 64000 ppm/4h (Rat; Literature study) |
| ATE CLP (oral) | 100.000 mg/kg body weight |
| ATE CLP (dermal) | 300.000 mg/kg body weight |
| ATE CLP (gases) | 700.000 ppmV/4h |
| ATE CLP (vapors) | 3.000 mg/l/4h |
| ATE CLP (dust, mist) | 0.500 mg/l/4h |

Skin corrosion/irritation : Not classified

Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitization : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

May cause cancer

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Causes

Causes damage to organs.

Specific target organ toxicity (repeated exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

| tert-Butanol (75-65-0) | | |
|---|---|--|
| LC50 fish 1 | 3350 mg/l (96 h; Pisces) | |
| LC50 other aquatic organisms 1 | 2450 mg/l (48 h; Xenopus laevis) | |
| EC50 Daphnia 1 | 933 mg/l (48 h; Daphnia magna; GLP) | |
| LC50 fish 2 | 6410 mg/l (96 h; Pimephales promelas) | |
| EC50 Daphnia 2 | 5504 mg/l (48 h; Daphnia magna; Locomotor effect) | |
| Threshold limit other aquatic organisms 1 | 2450 mg/l (48 h; Xenopus laevis) | |
| Threshold limit algae 1 | >= 1000 mg/l (72 h; Scenedesmus subspicatus; Biomass) | |

| tert-Butyl Methyl Ether (MTBE) (1634-04-4) | |
|--|--|
| LC50 fish 1 | 672 - 706 mg/l (96 h; Pimephales promelas) |
| LC50 other aquatic organisms 1 | 2500 mg/l (Rana sp.; Young) |
| EC50 Daphnia 1 | 651 mg/l (48 h; Daphnia magna) |
| LC50 fish 2 | 1000 mg/l (48 h; Leuciscus idus) |
| Threshold limit other aquatic organisms 1 | 2500 mg/l (Rana sp.; Young) |

15/04/2015 EN (English US) 5/1

Safety Data Sheet according to Regulation (EC) No. 453/2010

| tert-Butyl Methyl Ether (MTBE) (1634-04-4) | |
|--|--|
| Threshold limit algae 1 | 470 mg/l (72 h; Scenedesmus subspicatus) |
| methanol (67-56-1) | |
| LC50 fish 1 | 15400 mg/l (96 h; Lepomis macrochirus; Lethal) |
| EC50 Daphnia 1 | > 10000 mg/l (48 h; Daphnia magna; Lethal) |
| LC50 fish 2 | 10800 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss) |
| EC50 Daphnia 2 | 24500 mg/l (48 h; Daphnia magna; Locomotor effect) |
| Threshold limit other aquatic organisms 1 | 6600 mg/l (16 h; Pseudomonas putida) |
| Threshold limit algae 1 | 530 mg/l (192 h; Microcystis aeruginosa) |
| Threshold limit algae 2 | 8000 mg/l (168 h; Scenedesmus quadricauda) |

| 12.2. Persistence and degradability | | | | |
|---|--|--|--|--|
| California Oxygenates Standard | | | | |
| Persistence and degradability | Not established. | | | |
| tert-Butanol (75-65-0) | tert-Butanol (75-65-0) | | | |
| Persistence and degradability | Not readily biodegradable in water. No (test)data on mobility of the substance available. | | | |
| Biochemical oxygen demand (BOD) | 0 g O /g substance | | | |
| Chemical oxygen demand (COD) | 2.18 g O /g substance | | | |
| ThOD | 2.59 g O /g substance | | | |
| BOD (% of ThOD) | 0 % ThOD | | | |
| tert-Butyl Methyl Ether (MTBE) (1634-04-4) | | | | |
| Persistence and degradability | Not readily biodegradable in water. | | | |
| methanol (67-56-1) | | | | |
| | | | | |
| Persistence and degradability | Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil. | | | |
| Persistence and degradability Biochemical oxygen demand (BOD) | Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil. 0.6 - 1.12 g O /g substance | | | |
| ġ , | , , | | | |
| Biochemical oxygen demand (BOD) | 0.6 - 1.12 g O /g substance | | | |
| Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) | 0.6 - 1.12 g O /g substance 1.42 g O /g substance | | | |

| California Oxygenates Standard | | |
|--|--|--|
| Bioaccumulative potential | Not established. | |
| tert-Butanol (75-65-0) | | |
| BCF fish 1 | < 5 (Cyprinus carpio; Test duration: 6 weeks) | |
| BCF fish 2 | 1 (Pimephales promelas; Estimated value) | |
| Log Pow | 0.35 (OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method) | |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). | |
| tert-Butyl Methyl Ether (MTBE) (1634-04-4) | | |

| Log Pow | 1.06 (Experimental value) |
|---------------------------|--|
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |
| methanol (67-56-1) | |
| BCF fish 1 | < 10 (72 h; Leuciscus idus) |
| BCF fish 2 | 1 (72 h; Cyprinus carpio; Blood) |
| Log Pow | -0.77 (Experimental value; Other) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

1.5 (672 h; Cyprinus carpio)

12.4. Mobility in soil

BCF fish 1

| tert-Butanol (75-65-0) | | |
|--|-------------------|--|
| Surface tension | 0.020 N/m (25 °C) | |
| tert-Butyl Methyl Ether (MTBE) (1634-04-4) | | |
| Surface tension | 0.020 N/m (20 °C) | |
| methanol (67-56-1) | | |
| Surface tension | 0.023 N/m (20 °C) | |

12.5. Results of PBT and vPvB assessment

No additional information available

| 12.6. Other adverse | effects |
|---------------------|---------|
|---------------------|---------|

Additional information : Avoid release to the environment

15/04/2015 EN (English US) 6/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable. Hazardous waste

due to potential risk of explosion.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1992 UN-No. (IATA) : 1992

14.2. UN proper shipping name

Proper Shipping Name (ADR)

Proper Shipping Name (IATA)

Proper Shipping Name (IMDG)

Proper Shipping Name (IMDG)

Proper Shipping Name (ADN)

FLAMMABLE LIQUID, TOXIC, N.O.S.

FLAMMABLE LIQUID, TOXIC, N.O.S.

Transport document description (ADR) : UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol(67-56-1)), 3 (6.1), II, (D/E)

14.3. Packing group

 Class (ADR)
 : 3

 Classification code (ADR)
 : FT1

 Class (IATA)
 : 3

 Class (IMDG)
 : 3

 Class (ADN)
 : 3

 Subsidiary risks (ADR)
 : 6.1

 Hazard labels (ADR)
 : 3,6.1



Hazard labels (IATA) : 3, 6.1



14.4. Packing group

Packing group (ADR) : II Packing group (IATA) : II

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 336 Classification code (ADR) : FT1

Orange plates :

336 1992

Special provision (ADR): 274Transport category (ADR): 2Tunnel restriction code (ADR): D/ELimited quantities (ADR): 11Excepted quantities (ADR): E2

14.6.2. Transport by sea

No additional information available

15/04/2015 EN (English US) 7/1

Safety Data Sheet

according to Regulation (EC) No. 453/2010

14.6.3. Air transport

CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L PCA packing instructions (IATA) : 352 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA max net quantity (IATA) : 1L PCA Excepted quantities (IATA) : E2 ERG code (IATA) : 3HP

14.6.4. Inland waterway transport

Carriage prohibited (ADN) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document doed not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.

15/04/2015 EN (English US) 8/1