

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 24/03/2018 Revision date: :

Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product form : Mixture Product name : 1,2,3-Trichloropropane Standard Product code : AL0-101299 Product group : Trade product Relevant identified uses of the substance or mixture and uses advised against 1.2. 1.2.1. Relevant identified uses Main use category : Laboratory Use Industrial/Professional use spec : Industrial For professional use only 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Phenova 6390 Joyce Dr. Suite 100 80403 Golden, CO - United States T 1-866-942-2978 - F 1-866-283-0269 info@phenova.com - www.phenova.com 1.4. Emergency telephone number Emergency number ChemTel Assistance (US/Canada) 1-800-255-3924 ChemTel Assistance (International) +1 813-248-0585 SECTION 2: Hazards identification Classification of the substance or mixture 2.1.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2	H225
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
Carc. 1B	H350
STOT SE 1	H370

## Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.2; R45 F; R11 T; R23/24/25 T; R39/23/24/25 Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	: H225 - Highly flammable liquid and vapor H301+H311 - Toxic if swallowed or in contact with skin H350 - May cause cancer H370 - Causes damage to organs
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking</li> <li>P233 - Keep container tightly closed</li> <li>P260 - Do not breathe dust/fume/gas/mist/vapors/spray</li> <li>P270 - Do not eat, drink or smoke when using this product</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P301+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water</li> <li>P308+P313 - IF exposed or concerned: Get medical advice/attention</li> <li>P312 - Call a POISON CENTER or doctor if you feel unwell</li> <li>P361+P364 - Take off immediately all contaminated clothing and wash it before reuse</li> <li>P370+P378 - In case of fire: Use media other than water to extinguish</li> <li>P403+P235 - Store in a well-ventilated place. Keep cool</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation</li> </ul>

No labeling applicable

2.3. Other hazards

No additional information available

# **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

- Not applicable
- 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methanol	(CAS No) 67-56-1 (EC-No.) 200-659-6 (EC index no) 603-001-00-X	99.8	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
1,2,3-trichloropropane (Component) substance listed as REACH Candidate	(CAS No) 96-18-4 (EC-No.) 202-486-1 (EC index no) 602-062-00-X	0.2	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Carc. 1B, H350 Repr. 1B, H360F
Name	Product identifier	Specific of	concentration limits
methanol	(CAS No) 67-56-1 (EC-No.) 200-659-6 (EC index no) 603-001-00-X		0) STOT SE 2, H371 TOT SE 1, H370

# SECTION 4: First aid measures

4.1. Description of first aid measures		
First-aid measures general	:	Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	:	Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	:	Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Get medical advice/attention.
First-aid measures after eye contact	:	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after skin contact	:	Causes skin irritation.
4.3. Indication of any immediate medica	al a	ttention and special treatment needed
No additional information available		
SECTION 5: Firefighting measures		

# 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Do not use a heavy water stream.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

()	······································	
5.2. Special hazards aris	ing from the substance or mixture	
Fire hazard	: Highly flammable liquid	and vapor.
Explosion hazard	: May form flammable/exp	plosive vapor-air mixture.
5.3. Advice for firefighter	's	
Firefighting instructions		or cooling exposed containers. Exercise caution when fighting any re-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area wi	thout proper protective equipment, including respiratory protection.
SECTION 6: Accidental	release measures	
6.1. Personal precaution	s, protective equipment and emergency p	rocedures
6.1.1. For non-emergency	personnel	
Emergency procedures	: Evacuate unnecessary p	personnel.
6.1.2. For emergency resp	onders	
Protective equipment	: Equip cleanup crew with	proper protection.
Emergency procedures	: Ventilate area.	
6.2. Environmental preca	utions	
Prevent entry to sewers and put	blic waters. Notify authorities if liquid enters s	ewers or public waters.
6.3. Methods and materia	al for containment and cleaning up	
Methods for cleaning up	: Take up in absorbent ma	aterial. Collect spillage.
6.4. Reference to other s	ections	
See Heading 8. Exposure control	ols and personal protection.	
<b>SECTION 7: Handling an</b>	nd storage	
7.1. Precautions for safe	handling	
Additional hazards when proces		s with care because residual vapors are flammable.
Precautions for safe handling Hygiene measures	smoking and when leavi of vapor. No open flame before use. Do not hand	exposed areas with mild soap and water before eating, drinking or ng work. Provide good ventilation in process area to prevent formation s. No smoking. Use only non-sparking tools. Obtain special instructions le until all safety precautions have been read and understood. of soap and water. Remove/Take off immediately all contaminated
	clothing. Wash contamir	hated clothing before reuse.
	storage, including any incompatibilities	
Technical measures	container and receiving	
Storage conditions	well-ventilated place. Ke	Keep container tightly closed. Keep container tightly closed and in a eep away from any flames or sparking source.
Incompatible materials	: Direct sunlight. Heat sou	irces.
7.3. Specific end use(s)		
No additional information availa	ble	
<b>SECTION 8: Exposure c</b>	ontrols/personal protection	
8.1. Control parameters		
1,2,3-trichloropropane (96-18	3-4)	
Belgium	Limit value (mg/m³)	61 mg/m <sup>3</sup> (1,2,3-Trichloropropane; Belgium; Time- weighted average exposure limit 8 h)
Belgium	Limit value (ppm)	10 ppm (1,2,3-Trichloropropane; Belgium; Time- weighted average exposure limit 8 h)
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	10 ppm (1,2,3-Trichloropropane; USA; Time-weighted

 Netherlands
 Grenswaarde TGG 8H (mg/m³)
 1.08 µg/m³ (1,2,3-Trichloor-propaar; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)

 Netherlands
 Grenswaarde TGG 8H (ppm)
 0.00018 ppm (1,2,3-Trichloor-propaar; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit 8 h; Indicative occupational exposure l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

methanol (67-56-1)		
EU	IOELV TWA (ppm)	200 ppm (Methanol; EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)
Belgium	Limit value (mg/m³)	266 mg/m <sup>3</sup> (Alcool méthylique; Belgium; Time- weighted average exposure limit 8 h)
Belgium	Limit value (ppm)	200 ppm (Alcool méthylique; Belgium; Time-weighted average exposure limit 8 h)
Belgium	Short time value (mg/m³)	333 mg/m <sup>3</sup> (Alcool méthylique; Belgium; Short time value)
Belgium	Short time value (ppm)	250 ppm (Alcool méthylique; Belgium; Short time value)
France	VLE (mg/m <sup>3</sup> )	1300 mg/m³ (Methanol; France; Short time value; VL: Valeur non réglementaire indicative)
France	VLE (ppm)	1000 ppm (Methanol; France; Short time value; VL: Valeur non réglementaire indicative)
France	VME (mg/m³)	260 mg/m³ (Methanol; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
France	VME (ppm)	200 ppm (Methanol; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200 ppm (Methanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm (Methanol; USA; Short time value; TLV - Adopted Value)
Netherlands	Grenswaarde TGG 8H (mg/m³)	133 mg/m <sup>3</sup> (Methanol; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
Netherlands	Grenswaarde TGG 8H (ppm)	100 ppm (Methanol; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
United Kingdom	WEL TWA (mg/m³)	266 mg/m <sup>3</sup> Methanol; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL TWA (ppm)	200 ppm Methanol; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	333 mg/m³ Methanol; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (ppm)	250 ppm Methanol; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)

- 8.2. Exposure controls
- Appropriate engineering controls
- Personal protective equipment
- : Either local exhaust or general room ventilation is usually required.
- : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.



Hand protection

Eye protection Skin and body protection

Respiratory protection

- : Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration.
- : Chemical goggles or safety glasses. Safety glasses.
- : Wear suitable protective clothing. Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.
- : Wear appropriate mask.
- Other information : Do not eat, drink or smoke during use.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: Colorless.
Odor	: characteristic.
рН	: No data available

# **1,2,3-Trichloropropane Standard\_** Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ccording to Regulation (EC) No. 1907/2006 (RE/	
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapor
Relative density	: No data available
Solubility	: No data available
Explosive properties	: No data available
	: No data available
Oxidizing properties	
Explosion limits	: No data available
9.2. Other information	
No additional information available	
<b>SECTION 10: Stability and reac</b>	tivity
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Highly flammable liquid and vapor. May fo	rm flammable/explosive vapor-air mixture.
10.3. Possibility of hazardous react	ions
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low tem	peratures. Open flame.
10.5. Incompatible materials	
No additional information available	
No additional information available 10.6. Hazardous decomposition pro	oducts
	oducts
10.6. Hazardous decomposition pro May release flammable gases.	
10.6. Hazardous decomposition pro	ormation
10.6.Hazardous decomposition pro May release flammable gases.SECTION 11: Toxicological info11.1.Information on toxicological e	ormation
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity	ormation ffects
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_	ormation iffects : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)	ormation offects : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 100.2 mg/kg body weight
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)	ormation iffects : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)	ormation
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat	ormation
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit	ormation
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)	brmation Iffects : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 100.2 mg/kg body weight 300.389 mg/kg body weight 442 mg/kg (Rat) 850 mg/kg (Rabbit) 442 mg/kg body weight
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)         ATE CLP (oral)	brmation         iffects         : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.         100.2 mg/kg body weight         300.389 mg/kg body weight         442 mg/kg (Rat)         850 mg/kg (Rabbit)         442 mg/kg body weight         850 mg/kg body weight
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological end         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (gases)	ormation offects : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 100.2 mg/kg body weight 300.389 mg/kg body weight 442 mg/kg (Rat) 442 mg/kg (Rat) 850 mg/kg (Rabbit) 442 mg/kg body weight 850 mg/kg body weight 4500 ppmV/4h
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological end         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (oral)         ATE CLP (pases)         ATE CLP (vapors)	ormation offects : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 100.2 mg/kg body weight 300.389 mg/kg body weight 442 mg/kg (Rat) 850 mg/kg (Rat) 442 mg/kg kg body weight 850 mg/kg body weight 442 mg/kg body weight 11 mg/l/4h
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dust, mist)	ormation offects : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 100.2 mg/kg body weight 300.389 mg/kg body weight 442 mg/kg (Rat) 442 mg/kg (Rat) 850 mg/kg (Rabbit) 442 mg/kg body weight 850 mg/kg body weight 4500 ppmV/4h
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dust, mist)         methanol (67-56-1)	ormation
10.6.       Hazardous decomposition pro         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dust, mist)	sormation
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity       1,2,3-Trichloropropane Standard_         ATE CLP (oral)       ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)       LD50 oral rat         LD50 oral rat       ATE CLP (oral)         ATE CLP (oral)       ATE CLP (oral)         ATE CLP (oral)       ATE CLP (dermal)         ATE CLP (dermal)       ATE CLP (dermal)         ATE CLP (dermal)       ATE CLP (dermal)         ATE CLP (dust, mist)       Methanol (67-56-1)         LD50 oral rat       LD50 oral rat	srmation            ffects                 Coral: Toxic if swallowed. Dermal: Toxic in contact with skin.                 100.2 mg/kg body weight                 300.389 mg/kg body weight                 442 mg/kg (Rat)                 442 mg/kg (Rat)                 442 mg/kg body weight                 442 mg/kg body weight                 442 mg/kg body weight                 442 mg/kg body weight                 450 mg/kg body weight                 4500 ppmV/4h                 11 mg/l/4h                 1.5 mg/l/4h                 > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of             evidence)
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological end         Acute toxicity       1,2,3-Trichloropropane Standard_         ATE CLP (oral)       ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)       LD50 oral rat         LD50 oral rat       ATE CLP (dermal)         ATE CLP (oral)       ATE CLP (oral)         ATE CLP (oral)       ATE CLP (dermal)         ATE CLP (dermal)       ATE CLP (dermal)         ATE CLP (dermal)       ATE CLP (dermal)         ATE CLP (dust, mist)       Methanol (67-56-1)         LD50 oral rat       LD50 oral rat         LD50 oral rat       LD50 oral rat	brmation            ffects                 i Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.                 100.2 mg/kg body weight                 300.389 mg/kg body weight                 442 mg/kg (Rat)                 442 mg/kg (Rat)                 442 mg/kg (Rat)                 442 mg/kg body weight                 442 mg/kg body weight                 442 mg/kg body weight                 442 mg/kg body weight                 450 mg/kg body weight                 4500 ppmV/4h                 11 mg/l/4h                 1.5 mg//4h                 > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of             evidence)                 15800 mg/kg (Rabbit; Literature study)
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological end         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dust, mist)         methanol (67-56-1)         LD50 oral rat         LD50 dermal rabbit         LC50 inhalation rat (mg/l)	strmation            ffects                 i Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.                 100.2 mg/kg body weight                 300.389 mg/kg body weight                 442 mg/kg (Rat)                 442 mg/kg (Rat)                 442 mg/kg (Rat)                 442 mg/kg body weight                 442 mg/kg body weight                 442 mg/kg body weight                 442 mg/kg body weight                 4500 ppmV/4h                 11 mg/l/4h                 1.5 mg/l/4h                 > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of             evidence)                 15800 mg/kg (Rabbit; Literature study)             85 mg/l/4h (Rat; Literature study)
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological end         Acute toxicity       1,2,3-Trichloropropane Standard_         ATE CLP (oral)       ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)       LD50 oral rat         LD50 dermal rabbit       ATE CLP (oral)         ATE CLP (oral)       ATE CLP (oral)         ATE CLP (oral)       ATE CLP (oral)         ATE CLP (dermal)       ATE CLP (gases)         ATE CLP (dust, mist)       Methanol (67-56-1)         LD50 oral rat       LD50 oral rat         LD50 dermal rabbit       LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)       ECS	immation         iffects         : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.         100.2 mg/kg body weight         300.389 mg/kg body weight         442 mg/kg (Rat)         850 mg/kg (Rabbit)         442 mg/kg body weight         850 mg/kg body weight         4500 ppmV/4h         11 mg/l/4h         1.5 mg/l/4h         300 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)         15800 mg/kg (Rat; Literature study)         85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological end         Acute toxicity       1,2,3-Trichloropropane Standard_         ATE CLP (oral)       ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)       LD50 oral rat         LD50 dermal rabbit       ATE CLP (oral)         ATE CLP (oral)       ATE CLP (oral)         ATE CLP (dermal)       ATE CLP (dermal)         ATE CLP (dermal)       ATE CLP (dermal)         ATE CLP (dust, mist)       Methanol (67-56-1)         LD50 oral rat       LD50 oral rat         LD50 dermal rabbit       LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)       ATE CLP (oral)	immation         iffects         : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.         100.2 mg/kg body weight         300.389 mg/kg body weight         442 mg/kg (Rat)         850 mg/kg (Rat)         442 mg/kg (Rat)         850 mg/kg body weight         442 mg/kg (Rat)         850 mg/kg body weight         4500 ppmV/4h         11 mg/l/4h         1.5 mg/l/4h         > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)         15800 mg/kg (Rat; Literature study)         85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological end         Acute toxicity       1,2,3-Trichloropropane Standard_         ATE CLP (oral)       ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)       LD50 oral rat         LD50 dermal rabbit       ATE CLP (oral)         ATE CLP (oral)       ATE CLP (oral)         ATE CLP (dermal)       ATE CLP (dermal)         ATE CLP (dermal)       ATE CLP (gases)         ATE CLP (dust, mist)       methanol (67-56-1)         LD50 oral rat       LD50 oral rat         LD50 dermal rabbit       LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)       ATE CLP (oral)         ATE CLP (oral)       ATE CLP (oral)	string       : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.         100.2 mg/kg body weight
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological end         Acute toxicity       1,2,3-Trichloropropane Standard_         ATE CLP (oral)       ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)       LD50 oral rat         LD50 dermal rabbit       ATE CLP (oral)         ATE CLP (oral)       ATE CLP (oral)         ATE CLP (oral)       ATE CLP (dermal)         ATE CLP (dermal)       ATE CLP (dermal)         ATE CLP (dermal)       ATE CLP (dermal)         ATE CLP (dermal)       ATE CLP (dust, mist)         methanol (67-56-1)       LD50 oral rat         LD50 dermal rabbit       LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)       ATE CLP (oral)         ATE CLP (dermal)       ATE CLP (dermal)         ATE CLP (dermal)       ATE CLP (dermal)	strmation         iffects         : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.         100.2 mg/kg body weight         300.389 mg/kg body weight         442 mg/kg (Rat)         850 mg/kg (Rat)         850 mg/kg body weight         450 ppmV/4h         11 mg//4h         1.5 mg/l/4h         vidence)         15800 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)         15800 mg/kg (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (desses)         ATE CLP (dust, mist)         methanol (67-56-1)         LD50 oral rat         LD50 dermal rabbit         LC50 inhalation rat (mg/l)         LC50 inhalation rat (mg/l)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dermal)	stress         i       Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.         i       100.2 mg/kg body weight         i       300.389 mg/kg body weight         i       442 mg/kg (Rat)         i       442 mg/kg (Rat)         i       442 mg/kg (Rat)         i       442 mg/kg (Rat)         i       442 mg/kg body weight         i       850 mg/kg body weight         i       850 mg/kg body weight         i       850 mg/kg body weight         i       4500 ppmV/4h         i       11 mg/l/4h         i       1.5 mg/l/4h         i       5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)         i       15800 mg/kg (Rat; Literature study)         i       64000 ppm/4h (Rat; Literature study)         i       64000 ppm/4h (Rat; Literature study)         i       64000 ppm/4h (Rat; Literature study)         i       300 mg/kg body weight         i       300 mg/kg body weight         i       300 mg/kg body weight
10.6.       Hazardous decomposition prodiverses         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dess)         ATE CLP (dust, mist)         methanol (67-56-1)         LD50 dermal rabbit         LC50 inhalation rat (mg/l)         LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (dermal)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dust, mist)	stress       :       Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.         100.2 mg/kg body weight       300.389 mg/kg body weight         442 mg/kg (Rat)       442 mg/kg (Rat)         850 mg/kg body weight       442 mg/kg body weight         442 mg/kg body weight       850 mg/kg body weight         442 mg/kg body weight       850 mg/kg body weight         4500 pmV/4h       11 mg/l/4h         1.5 mg/l/4h       1.5 mg/l/4h         5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)         15800 mg/kg (Rat; Literature study)         85 mg/l/4h (Rat; Literature study)         64000 pm/4h (Rat; Literature study)         64000 pm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         300 mg/kg body weight         300 mg/kg body weight         00 pmV/4h         3 mg/l/4h         0.5 mg/l/4h
10.6.       Hazardous decomposition products         May release flammable gases.         SECTION 11: Toxicological info         11.1.       Information on toxicological e         Acute toxicity         1,2,3-Trichloropropane Standard_         ATE CLP (oral)         ATE CLP (dermal)         1,2,3-trichloropropane (96-18-4)         LD50 oral rat         LD50 dermal rabbit         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (dermal)         ATE CLP (desses)         ATE CLP (dust, mist)         methanol (67-56-1)         LD50 oral rat         LD50 dermal rabbit         LC50 inhalation rat (mg/l)         LC50 inhalation rat (mg/l)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (dermal)	stress         i       Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.         i       100.2 mg/kg body weight         i       300.389 mg/kg body weight         i       442 mg/kg (Rat)         i       442 mg/kg (Rat)         i       442 mg/kg (Rat)         i       442 mg/kg (Rat)         i       442 mg/kg body weight         i       850 mg/kg body weight         i       850 mg/kg body weight         i       850 mg/kg body weight         i       4500 ppmV/4h         i       11 mg/l/4h         i       1.5 mg/l/4h         i       5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)         i       15800 mg/kg (Rat; Literature study)         i       64000 ppm/4h (Rat; Literature study)         i       64000 ppm/4h (Rat; Literature study)         i       64000 ppm/4h (Rat; Literature study)         i       300 mg/kg body weight         i       300 mg/kg body weight         i       300 mg/kg body weight

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory or skin sensitization	: Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: May cause cancer.
	May cause cancer
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity – single exposure	: Causes damage to organs.
	Based on available data, the classification criteria are not met
Specific target organ toxicity – repeated	: Not classified
exposure	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information
------------------------------------

12.1. Toxicity

1,2,3-trichloropropane (96-18-4)		
EC50 Daphnia 1	35.4 mg/l (EC50; 48 h)	
LC50 fish 2	75 mg/l (LC50; 96 h; Lepomis macrochirus)	
Threshold limit algae 1	170 mg/l (EC50; 3 h)	
methanol (67-56-1)		
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)	
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)	

12.2. Persistence and degradability		
1,2,3-Trichloropropane Standard_		
Persistence and degradability	Not established.	
1,2,3-trichloropropane (96-18-4)		
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil.	
methanol (67-56-1)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	1.42 g O <sub>2</sub> /g substance	
ThOD	1.5 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.8 (Literature study)	
12.3. Bioaccumulative potential		
1,2,3-Trichloropropane Standard_		
Bioaccumulative potential	Not established.	
1,2,3-trichloropropane (96-18-4)		
BCF fish 1	5.3 - 13 (BCF)	
Log Pow	2.27 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
methanol (67-56-1)		
BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)	
Log Pow	-0.77 (Experimental value; Other)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
I2.4. Mobility in soil		
1,2,3-trichloropropane (96-18-4)		
Surface tension	0.038 N/m (20 °C)	

Surface tension	0.038 N/m (20 °C)	
methanol (67-56-1)		
Surface tension	0.023 N/m (20 °C)	
24/03/2018	EN (English US)	6/9

# **1,2,3-Trichloropropane Standard\_** Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

methanol (67-56-1)	
Log Koc	Koc,PCKOCWIN v1.66; 1; Calculated value
12.5. Results of PBT and vPvB assessmer	
Component	
1,2,3-trichloropropane (96-18-4)	This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII
12.6. Other adverse effects	
Additional information	: Avoid release to the environment
SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / AD	N
14.1. UN number	
UN-No. (ADR)	: 1992
UN-No. (IATA)	: 1992
UN-No. (IMDG)	: 1992
UN-No. (ADN)	: 1992
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IATA)	: Flammable liquid, toxic, n.o.s.
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (ADN)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Transport document description (ADR)	: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II, (D/E)
14.3. Packing group	
Class (ADR)	: 3
Classification code (ADR)	: FT1
Class (IATA)	: 3
Class (IMDG)	: 3
Class (ADN)	: 3
Classification code (ADN)	: FT1
Subsidiary risks (ADR)	: 6.1
Subsidiary risks (IMDG)	: 6.1
Hazard labels (ADR)	: 3, 6.1
	3 6
Hazard labels (IATA)	: 3, 6.1
Hazard labels (IMDG)	: 3, 6.1
	3
	▼ Y

# **1,2,3-Trichloropropane Standard\_** Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard labels (ADN)



	3
14.4. Packing group	
Packing group (ADR)	:
Packing group (IATA)	: 1
Packing group (IMDG) Packing group (ADN)	: II : II
14.5. Environmental hazards	· •
Other information	: No supplementary information available.
14.6. Special precautions for user	
14.6.1. Overland transport	
Hazard identification number (Kemler No.)	: 336
Classification code (ADR)	: FT1
Orange plates	336
	1992
Special provision (ADR)	: 274
Transport category (ADR)	: 2
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
14.6.2. Transport by sea	07.4
Special provision (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001 : IBC02
IBC packing instructions (IMDG)	: T7
Tank instructions (IMDG) Tank special provisions (IMDG)	: T7 : TP2, TP13
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Flammable toxic liquid which is not specified by name in this class or, on account of its
	characteristics, in some other class. Toxic if swallowed, by skin contact or by inhalation.
14.6.3. Air transport	
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
PCA packing instructions (IATA)	: 352
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA max net quantity (IATA)	: 1L
PCA Excepted quantities (IATA)	: E2
Special provision (IATA)	: A3
ERG code (IATA)	: 3HP
1464 Inland waterway transport	
14.6.4. Inland waterway transport Special provision (ADN)	: 274, 802
Limited quantities (ADN)	: 274, 002 : 1L
Excepted quantities (ADN)	: FL : E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, EX, TOX, A
Ventilation (ADN)	: VE01, VE02
Number of blue cones/lights (ADN)	: 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Carriage prohibited (ADN)

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: No

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains substance on the candidate list in concentration  $\geq$  0.1% or with a lower specific limit: 1,2,3-Trichloropropane (EC 202-486-1, CAS 96-18-4) Contains no REACH Annex XIV substances.

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK)

: 3 - strongly hazardous to water

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.	
Other information	: None.	

## PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.