

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Diesel Fuel # 2 Composite
Product code : AL0-101286
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory Use
Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Phenova
6390 Joyce Dr. Suite 100
80403 Golden, CO - United States
T 1-866-942-2978 - F 1-866-283-0269
info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924
ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carc. 2 H351

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.3; R40

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

Signal word (CLP) : Warning
Hazardous ingredients : Methylene Chloride
Hazard statements (CLP) : H351 - Suspected of causing cancer
Precautionary statements (CLP) : P281 - Use personal protective equipment as required
P308+P313 - IF exposed or concerned: Get medical advice/attention
P405 - Store locked up

No labeling applicable

2.3. Other hazards

No additional information available

Diesel Fuel # 2 Composite

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------|--|------|---|
| Methylene Chloride | (CAS No) 75-09-2 (EC no) 200-838-9 (EC index no) 602-004-00-3 | 99.5 | Carc. 2, H351 |
| fuel oil, diesel | (CAS No) 68334-30-5 (EC no) 269-822-7 (EC index no) 649-224-00-6 | 0.5 | Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Carc. 2, H351 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

Diesel Fuel # 2 Composite

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
- Hygiene measures : Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container closed when not in use. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

- Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.
- Personal protective equipment : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.



- Hand protection : Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration.
- Eye protection : Chemical goggles or safety glasses. Safety glasses.
- Skin and body protection : Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.
- Respiratory protection : Wear appropriate mask.
- Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Color : Colorless.
- Odor : characteristic.
- pH : No data available
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : No data available
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability (solid, gas) : Non flammable
- Relative density : No data available
- Solubility : No data available
- Explosive properties : No data available
- Oxidizing properties : No data available
- Explosion limits : No data available

9.2. Other information

No additional information available

Diesel Fuel # 2 Composite

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| fuel oil, diesel (68334-30-5) | |
|-------------------------------|--|
| LD50 oral rat | > 5000 mg/kg (Rat; Literature study) |
| LD50 dermal rabbit | > 5000 mg/kg (Rabbit; Literature study) |
| LC50 inhalation rat (mg/l) | 3.60 mg/l/4h (Rat; Experimental value; 5.40 mg/l/4h; Rat; Experimental value; 4.10 mg/l/4h; Rat; Experimental value) |
| ATE CLP (gases) | 4500.000 ppmV/4h |
| ATE CLP (vapors) | 3.600 mg/l/4h |
| ATE CLP (dust, mist) | 3.600 mg/l/4h |

| Methylene Chloride (75-09-2) | |
|------------------------------|---|
| LD50 oral rat | > 2000 mg/kg (Rat; Literature study) |
| LD50 dermal rabbit | > 2000 mg/kg (Rabbit; Literature study) |

| | |
|---|--|
| Skin corrosion/irritation | : Not classified Based on available data, the classification criteria are not met |
| Serious eye damage/irritation | : Not classified Based on available data, the classification criteria are not met |
| Respiratory or skin sensitization | : Not classified Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | : Not classified Based on available data, the classification criteria are not met |
| Carcinogenicity | : Suspected of causing cancer. May cause cancer |
| Reproductive toxicity | : Not classified Based on available data, the classification criteria are not met |
| Specific target organ toxicity (single exposure) | : Not classified Based on available data, the classification criteria are not met |
| Specific target organ toxicity (repeated exposure) | : Not classified Based on available data, the classification criteria are not met |
| Aspiration hazard | : Not classified Based on available data, the classification criteria are not met |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |

SECTION 12: Ecological information

12.1. Toxicity

| fuel oil, diesel (68334-30-5) | |
|-------------------------------|---|
| LC50 fish 1 | 120 - 160 mg/l (96 h; Leuciscus idus; Lethal) |
| LC50 fish 2 | 2186 mg/l Salmo gairdneri (Oncorhynchus mykiss) |
| TLM fish 1 | 204 mg/l (24 h; Alosa alosa) |

Diesel Fuel # 2 Composite

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| Methylene Chloride (75-09-2) | |
|-------------------------------------|---|
| LC50 fish 1 | 193 mg/l (96 h; Pimephales promelas; Flow-through system) |
| EC50 Daphnia 1 | 168.2 mg/l (48 h; Daphnia magna) |
| LC50 fish 2 | 220 mg/l (96 h; Lepomis macrochirus; Flow-through system) |
| Threshold limit algae 1 | 1450 mg/l (192 h; Scenedesmus quadricauda; Cell numbers) |
| Threshold limit algae 2 | 550 mg/l (192 h; Microcystis aeruginosa) |

12.2. Persistence and degradability

| Diesel Fuel # 2 Composite | |
|--------------------------------------|--|
| Persistence and degradability | Not established. |
| fuel oil, diesel (68334-30-5) | |
| Persistence and degradability | Biodegradable in water. Biodegradability in soil: no data available. Adsorbs into the soil. Low potential for mobility in soil. Photodegradation in the air. |
| Methylene Chloride (75-09-2) | |
| Persistence and degradability | Not readily biodegradable in water. Biodegradable in the soil. |

12.3. Bioaccumulative potential

| Diesel Fuel # 2 Composite | |
|--------------------------------------|--|
| Bioaccumulative potential | Not established. |
| fuel oil, diesel (68334-30-5) | |
| Log Pow | > 3.5 (Literature) |
| Bioaccumulative potential | Bioaccumable. |
| Methylene Chloride (75-09-2) | |
| BCF fish 1 | 2 - 40 (Cyprinus carpio; Test duration: 6 weeks) |
| Log Pow | 1.25 (Experimental value) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

12.4. Mobility in soil

| Methylene Chloride (75-09-2) | |
|-------------------------------------|---|
| Surface tension | 0.028 N/m (20 °C) |
| Ecology - soil | May be harmful to plant growth, blooming and fruit formation. |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2810
UN-No.(IATA) : 2810

14.2. UN proper shipping name

Proper Shipping Name (ADR) : TOXIC LIQUID, ORGANIC, N.O.S.
Proper Shipping Name (IATA) : TOXIC LIQUID, ORGANIC, N.O.S.
Proper Shipping Name (IMDG) : TOXIC LIQUID, ORGANIC, N.O.S.
Proper Shipping Name (ADN) : TOXIC LIQUID, ORGANIC, N.O.S.
Transport document description (ADR) : UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (dichloromethane(75-09-2)), 6.1, III, (E)

14.3. Packing group

Class (ADR) : 6.1
Classification code (ADR) : T1
Class (IATA) : 6.1
Class (IMDG) : 6.1
Class (ADN) : 6.1

Diesel Fuel # 2 Composite

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hazard labels (ADR) : 6.1



Hazard labels (IATA) : 6.1



14.4. Packing group

Packing group (ADR) : III

Packing group (IATA) : III

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 60

Classification code (ADR) : T1

Orange plates :



Special provision (ADR) : 274, 614

Transport category (ADR) : 2

Tunnel restriction code (ADR) : E

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

CAO packing instructions (IATA) : 663

CAO max net quantity (IATA) : 220L

PCA packing instructions (IATA) : 655

PCA Limited quantities (IATA) : Y642

PCA limited quantity max net quantity (IATA) : 2L

PCA max net quantity (IATA) : 60L

PCA Excepted quantities (IATA) : E1

Special provision (IATA) : A137

ERG code (IATA) : 6L

14.6.4. Inland waterway transport

Carriage prohibited (ADN) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

No additional information available

Diesel Fuel # 2 Composite

Safety Data Sheet

according to Regulation (EC) No. 453/2010

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.