

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 08/04/2014 Revision date: 13/04/2015

Version: 1.1

SECTION 1. Id	entification of the sub	ostance/mixture and of the company/undertaking
1.1. Product ic	lentifier	
Product form		: Mixture
Product name		: Aroclor 1268 Standard
Product code		: AL0-101283
Product group		: Trade product
1.2. Relevant	identified uses of the sub	stance or mixture and uses advised against
1.2.1. Relevant	identified uses	
Main use category		: Laboratory Use
Industrial/Professio	nal use spec	: Industrial For professional use only
Use of the substand	ce/mixture	: Certified reference material for laboratory use only
1.2.2. Uses adv	vised against	
No additional inform	•	
1.3. Details o	f the supplier of the safety	data shoot
Phenova 6390 Joyce Dr. Sui 80403 Golden, CO T 1-866-942-2978 -	te 100 - United States	
1.4. Emerger	cy telephone number	
Emergency number		: ChemTel Assistance (US/Canada) 1-800-255-3924 ChemTel Assistance (International) +1 813-248-0585
SECTION 2: Ha	azards identification	
2.1. Classific	ation of the substance or r	nixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Flam. Liq. 2	H225	
•	H225 H315	
	H361	
Repr. 2	1301	

 Repr. 2
 H361

 STOT SE 3
 H336

 STOT RE 2
 H373

 Asp. Tox. 1
 H304

 Aquatic Acute 1
 H400

 Aquatic Chronic 1
 H410

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Repr.Cat.3; R62 F; R11 Xn; R65 Xn; R48/20 Xi; R38 N; R51/53 R67 Full text of R-phrases: see section 16

# Adverse physicochemical, human health and environmental effects

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

# 2.2. Label elements

# Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	HS02 GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
Hazardous ingredients	: hexane
Hazard statements (CLP)	<ul> <li>H225 - Highly flammable liquid and vapor H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H336 - May cause drowsiness or dizziness H361 - Suspected of damaging fertility or the unborn child H373 - May cause damage to organs through prolonged or repeated exposure H410 - Very toxic to aquatic life with long lasting effects</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking</li> <li>P233 - Keep container tightly closed</li> <li>P260 - Do not breathe dust/fume/gas/mist/vapors/spray</li> <li>P270 - Do not eat, drink or smoke when using this product</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P273 - Avoid release to the environment</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P308+P313 - IF exposed or concerned: Get medical advice/attention</li> <li>P403+P235 - Store in a well-ventilated place. Keep cool</li> <li>P405 - Store locked up</li> </ul>
No labeling applicable	

# 2.3. Other hazards

#### No additional information available

# SECTION 3: Composition/information on ingredients

# 3.1. Substance

# Not applicable

# 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hexane	(CAS No) 110-54-3 (EC no) 203-777-6 (EC index no) 601-037-00-0	99.99	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361f STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Name	Product identifier	Specific c	oncentration limits
hexane	(CAS No) 110-54-3 (EC no) 203-777-6 (EC index no) 601-037-00-0	(C >= 5) ST	OT RE 2, H373

# SECTION 4: First aid measures

4.1. Description of first aid measur	es	
First-aid measures general	<ul> <li>Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.</li> </ul>	
First-aid measures after inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.</li> </ul>	
First-aid measures after skin contact	Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention.	
First-aid measures after eye contact	<ul> <li>Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.</li> </ul>	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.	

# Aroclor 1268 Standard Safety Data Sheet

Cording to Regulation (EC) No. 453/2010	
Symptoms/injuries after skin contact Symptoms/injuries after ingestion	<ul> <li>Causes skin irritation.</li> <li>May be fatal if swallowed and enters airways.</li> </ul>
	edical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measur	295
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	he substance or mixture
Fire hazard	: Highly flammable liquid and vapor.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	
	ve equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapors/spray.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
•	Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for conta	
Methods for cleaning up	<ul> <li>Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Colle spillage. Store away from other materials.</li> </ul>
6.4. Reference to other sections	
See Heading 8. Exposure controls and per	sonal protection.
SECTION 7: Handling and storage	ge
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formatior of vapor. No open flames. No smoking. Use only non-sparking tools. Obtain special instructior before use. Do not handle until all safety precautions have been read and understood. Use on outdoors or in a well-ventilated area.
Hygiene measures	<ul> <li>Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.</li> </ul>
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	<ul> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.</li> </ul>
Storage conditions	<ul> <li>Keep in fireproof place. Keep container tightly closed. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.</li> </ul>
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/	personal protection
8.1. Control parameters No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Either local exhaust or general room ventilation is usually required.
· · · · ·	

# Safety Data Sheet

Personal protective equipment	: Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.
Hand protection	: Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration.
Eye protection	: Chemical goggles or safety glasses. Safety glasses.
Skin and body protection	<ul> <li>Wear suitable protective clothing. Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.</li> </ul>
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear respiratory protection.
Other information	: Do not eat, drink or smoke during use.
SECTION 9: Physical and che	mical properties
9.1. Information on basic physic	
Physical state	: Liquid
Color	: Colorless.
Odor	: characteristic.
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapor
Relative density	: No data available
Solubility	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and rea	ctivity
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
	and vapor. May form flammable/explosive vapor-air mixture.
10.3. Possibility of hazardous rea	
Not established.	
10.4. Conditions to avoid	
Direct contracts for the bight of least	

Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

# SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

hexane (110-54-3)	
LD50 oral rat	25000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	3000 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (ppm)	48000 ppm/4h (Rat; Literature study)

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

ccording to Regulation (EC) No. 453/2010		
hexane (110-54-3)		
ATE CLP (oral)	25000.000 mg/kg body weight	
ATE CLP (dermal)	3000.000 mg/kg body weight	
ATE CLP (gases)	48000.000 ppmV/4h	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
	Based on available data, the classification criteria are not met	
Respiratory or skin sensitization	: Not classified	
	Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
	Based on available data, the classification criteria are not met May cause cancer	
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.	
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.	
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.	
symptoms		
CECTION 42: Ecological information		
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - water	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.	
hexane (110-54-3)		
LC50 fish 1	2.5 mg/l (96 h; Pimephales promelas)	
EC50 Daphnia 1	2.1 mg/l (48 h; Daphnia magna)	
LC50 fish 2	4 mg/l (24 h; Carassius auratus)	
EC50 Daphnia 2	0.4 mg/l (96 h; Chaetogammarus marinus)	
Threshold limit other aquatic organisms 1	9.049 mg/l (Protozoa)	
Threshold limit algae 1	10 mg/l (Laminariales; Photosynthesis)	
Threshold limit algae 2	26 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)	
12.2. Persistence and degradability		
Aroclor 1268 Standard		
Persistence and degradability	May cause long-term adverse effects in the environment.	
hexane (110-54-3)		
Persistence and degradability	Readily biodegradable in water. Photooxidation in water. easily degradable in the soil.	
ThOD	3.52 g O /g substance	
BOD (% of ThOD)	0.63 % ThOD	
12.3. Bioaccumulative potential		
Biodecumatative potential		
Aroclor 1268 Standard		

Bioaccumulative potential	Not established.	
hexane (110-54-3)		
BCF fish 1	501.187 (Pimephales promelas)	
Log Pow	3.5 - 3.94 (Calculated)	
Bioaccumulative potential	Bioaccumable.	
12.4. Mobility in soil		
hexane (110-54-3)		
Surface tension	0.018 N/m	

 12.5.
 Results of PBT and vPvB assessment

 No additional information available

 12.6.
 Other adverse effects

 Additional information
 : Avoid release to the environment

# Safety Data Sheet

Safety Data Sheet ccording to Regulation (EC) No. 453/2010	
SECTION 13: Disposal considerat	ions
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment. Hazardous waste due to toxicity.
SECTION 14: Transport information	bn
In accordance with ADR / RID / IMDG / IATA	/ ADN
14.1. UN number	· · · · · ·
UN-No. (ADR)	: 1993
UN-No.(IATA)	: 1993
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (ADN)	: FLAMMABLE LIQUID, N.O.S.
Transport document description (ADR)	: UN 1993 FLAMMABLE LIQUID, N.O.S. (hexane(110-54-3)), 3, II, (D/E), ENVIRONMENTALLY
· · · · · · · · · · · · · · · · · · ·	HAZARDOUS
14.3. Packing group	
Class (ADR)	: 3
Classification code (ADR)	: F1
Class (IATA)	: 3
Class (IMDG)	: 3
Class (ADN)	: 3
Hazard labels (ADR)	: 3
Hazard labels (IATA)	
14.4. Packing group	
Packing group (ADR) Packing group (IATA)	: II : II
14.5. Environmental hazards	
Dangerous for the environment	
Other information	: No supplementary information available.
14.6. Special precautions for user	
14.6.1. Overland transport	
Hazard identification number (Kemler No.)	: 33
Classification code (ADR)	: F1
Orange plates	33 1993
Special provision (ADR)	: 274, 601, 640D
Transport category (ADR)	: 2
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	: 11

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

Excepted quantities (ADR)	: E2
14.6.2. Transport by sea	
No additional information available	
14.6.3. Air transport	
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
PCA packing instructions (IATA)	: 353
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA max net quantity (IATA)	: 5L
PCA Excepted quantities (IATA)	: E2
ERG code (IATA)	: 3H
14.6.4. Inland waterway transport	
Carriage prohibited (ADN)	: No

Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no REACH candidate substance Contains no REACH Annex XIV substances.

#### 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

#### PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.