

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Date of issue: 25/09/2015 Revision date: : Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : HAP Standard
Product code : AL0-101549
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory Use Industrial/Professional use spec : Industrial

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Phenova

6390 Joyce Dr. Suite 100

80403 Golden, CO - United States T 1-866-942-2978 - F 1-866-283-0269

info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924

ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 1 H224 Carc. 2 H351

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.3; R40

F+; R12

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS08

Signal word (CLP) : Danger
Hazardous ingredients : acetaldehyde

Hazard statements (CLP) : H224 - Extremely flammable liquid and vapor

H351 - Suspected of causing cancer

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 - Keep container tightly closed

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308+P313 - IF exposed or concerned: Get medical advice/attention

25/09/2015 EN (English US) 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

P403+P235 - Store in a well-ventilated place. Keep cool

No labeling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dramal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
acetaldehyde (Component)	(CAS No) 75-07-0 (EC no) 200-836-8 (EC index no) 605-003-00-6	1	Flam. Liq. 1, H224 Carc. 2, H351 Eye Irrit. 2, H319 STOT SE 3, H335
2-Butanone (Component)	(CAS No) 78-93-3 (EC no) 201-159-0 (EC index no) 606-002-00-3	1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
propanal (Component)	(CAS No) 123-38-6 (EC no) 204-623-0 (EC index no) 605-018-00-8	1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315
Name	Product identifier	Specific	concentration limits
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X		10) STOT SE 2, H371 STOT SE 1, H370

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get

medical advice/attention

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

25/09/2015 EN (English US) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up in absorbent material. Collect spillage.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all

safety precautions have been read and understood.

Hygiene measures : Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated

clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed. Keep container tightly closed and in a

well-ventilated place. Keep away from any flames or sparking source.

Incompatible materials : Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

Personal protective equipment : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety

glasses.







Hand protection : Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical

penetration

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin

contact.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Color Colorless Odor characteristic рΗ No data available Melting point No data available Freezing point : No data available No data available Boiling point Flash point No data available Auto-ignition temperature : No data available

25/09/2015 EN (English US) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable liquid and vapor

Relative density : No data available
Solubility : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Sparks. Heat. Overheating. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h

acetaldehyde (75-07-0)	acetaldehyde (75-07-0)	
LD50 oral rat	661 - 1930 mg/kg (Rat)	
LD50 dermal rabbit	3540 mg/kg (Rabbit)	
LC50 inhalation rat (mg/l)	24 mg/l/4h (Rat)	
LC50 inhalation rat (ppm)	13300 ppm/4h (Rat)	

propanal (123-38-6)	
LD50 oral rat	1700 mg/kg (Rat)
LD50 dermal rabbit	2500 mg/kg (Rabbit)

Skin corrosion/irritation : Not classified

Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitization : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Suspected of causing cancer.

May cause cancer

25/09/2015 EN (English US) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated

exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

methanol (67-56-1)		
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)	
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)	
acetaldehyde (75-07-0)		
EC50 Daphnia 1	48.3 mg/l (EC50; 48 h)	
LC50 fish 2	30.8 mg/l (LC50; 96 h; Pimephales promelas)	
Threshold limit algae 1	237 mg/l (EC50; 120 h)	
propanal (123-38-6)		
LC50 fish 2	14 mg/l (LC50; 96 h; Pimephales promelas)	
EC50 Daphnia 2	88.7 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)	
2-Butanone (78-93-3)		
EC50 Daphnia 1	308 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
LC50 fish 2	2993 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Static system; Fresh water; Experimental value)	

12.2. Persistence and degradability

HAP Standard		
Persistence and degradability	Not established.	
methanol (67-56-1)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O /g substance	
Chemical oxygen demand (COD)	1.42 g O /g substance	
ThOD	1.5 g O /g substance	
BOD (% of ThOD)	0.8 (Literature study)	

acetaldehyde (75-07-0)		
Persistence and degradability Readily biodegradable in water. Photodegradation in the air.		
Biochemical oxygen demand (BOD)	1.27 g O /g substance	
ThOD	1.82 g O /g substance	
BOD (% of ThOD)	0.70	

propanal (123-38-6)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photolysis in the air. Photooxidation in the air.
Biochemical oxygen demand (BOD)	0.836 g O /g substance
Chemical oxygen demand (COD)	2.134 g O /g substance
ThOD	2.2 g O /g substance
BOD (% of ThOD)	0.38

2-Butanone (78-93-3)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions.
Biochemical oxygen demand (BOD)	2.03 g O /g substance
Chemical oxygen demand (COD)	2.31 g O /g substance
ThOD	2.44 g O /g substance

25/09/2015 EN (English US) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

BOD (% of ThOD) > 0.5 (5 days; Literature study)	2-Butanone (78-93-3)	
Bioaccumulative potential Not established. methanol (67-56-1) BCF fish 1	BOD (% of ThOD)	> 0.5 (5 days; Literature study)
Bioaccumulative potential Not established. methanol (67-56-1) BCF fish 1	2.3. Bioaccumulative potential	
methanol (67-56-1) BCF fish 1	HAP Standard	
BCF fish 1	Bioaccumulative potential	Not established.
Log Pow	methanol (67-56-1)	
Bioaccumulative potential acetaldehyde (75-07-0) Log Pow 0.5 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). propanal (123-38-6) BCF fish 1 1 (BCF) Log Pow 0.59 - 0.83 (Calculated) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). 2-Butanone (78-93-3) Log Pow 0.3 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 4t °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2-4. Mobility in soil methanol (67-56-1) Surface tension 0.023 N/m (20 °C) Log Koc Koc,PCKOCWIN v1.66; 1; Calculated value acetaldehyde (75-07-0) Surface tension 0.021 N/m (20 °C) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Ecology - soil Silghtly harmful to plants. 2.5. Results of PBT and vPvB assessment	BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)
acetaldehyde (75-07-0) Log Pow D.5 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Propanal (123-38-6) BCF fish 1 1 (BCF) Log Pow 0.59 - 0.83 (Calculated) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). 2-Butanone (78-93-3) Log Pow 0.3 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 (C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4. Mobility in soil methanol (67-56-1) Surface tension 0.023 N/m (20 °C) Log Koc Koc,PCKOCWIN v1.66; 1; Calculated value acetaldehyde (75-07-0) Surface tension 0.021 N/m (20 °C) propanal (123-38-6) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants.	Log Pow	-0.77 (Experimental value; Other)
Log Pow	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). propanal (123-38-6) BCF fish 1	acetaldehyde (75-07-0)	
propanal (123-38-6) BCF fish 1	Log Pow	0.5 (Experimental value)
BCF fish 1	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Log Pow Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). 2-Butanone (78-93-3) Log Pow 0.3 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4. Mobility in soil methanol (67-56-1) Surface tension 0.023 N/m (20 °C) Log Koc Koc,PCKOCWIN v1.66; 1; Calculated value acetaldehyde (75-07-0) Surface tension 0.021 N/m (20 °C) propanal (123-38-6) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants.	propanal (123-38-6)	
Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). 2-Butanone (78-93-3) Log Pow 0.3 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4. Mobility in soil methanol (67-56-1) Surface tension 0.023 N/m (20 °C) Log Koc Koc,PCKOCWIN v1.66; 1; Calculated value acetaldehyde (75-07-0) Surface tension 0.021 N/m (20 °C) propanal (123-38-6) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants.	BCF fish 1	1 (BCF)
2-Butanone (78-93-3) Log Pow 0.3 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4. Mobility in soil methanol (67-56-1) Surface tension 0.023 N/m (20 °C) Log Koc Koc,PCKOCWIN v1.66; 1; Calculated value acetaldehyde (75-07-0) Surface tension 0.021 N/m (20 °C) propanal (123-38-6) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants.	Log Pow	0.59 - 0.83 (Calculated)
Log Pow O.3 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 4(°C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4. Mobility in soil methanol (67-56-1) Surface tension O.023 N/m (20 °C) Log Koc Koc,PCKOCWIN v1.66; 1; Calculated value acetaldehyde (75-07-0) Surface tension O.021 N/m (20 °C) propanal (123-38-6) Surface tension O.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension O.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants. 2.5. Results of PBT and vPvB assessment	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4. Mobility in soil methanol (67-56-1) Surface tension Log Koc Koc,PCKOCWIN v1.66; 1; Calculated value acetaldehyde (75-07-0) Surface tension 0.021 N/m (20 °C) propanal (123-38-6) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants.	2-Butanone (78-93-3)	
methanol (67-56-1) Surface tension	Log Pow	0.3 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 4(°C)
methanol (67-56-1) Surface tension	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Surface tension 0.023 N/m (20 °C) Log Koc Koc,PCKOCWIN v1.66; 1; Calculated value acetaldehyde (75-07-0) Surface tension 0.021 N/m (20 °C) propanal (123-38-6) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants.	2.4. Mobility in soil	
Surface tension 0.023 N/m (20 °C) Log Koc Koc,PCKOCWIN v1.66; 1; Calculated value acetaldehyde (75-07-0) Surface tension 0.021 N/m (20 °C) propanal (123-38-6) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants.	methanol (67-56-1)	
Log Koc Koc,PCKOCWIN v1.66; 1; Calculated value acetaldehyde (75-07-0) Surface tension 0.021 N/m (20 °C) propanal (123-38-6) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants. 2.5. Results of PBT and vPvB assessment		0.023 N/m (20 °C)
acetaldehyde (75-07-0) Surface tension		
Surface tension 0.021 N/m (20 °C) propanal (123-38-6) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants. 2.5. Results of PBT and vPvB assessment		.,,
propanal (123-38-6) Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants. 2.5. Results of PBT and vPvB assessment		0.021 N/m (20 °C)
Surface tension 0.023 N/m (20 °C) Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants. 2.5. Results of PBT and vPvB assessment		0.02114111(20-0)
Ecology - soil May be harmful to plant growth, blooming and fruit formation. 2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants. 2.5. Results of PBT and vPvB assessment		0.023 N/m (20 °C)
2-Butanone (78-93-3) Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants. 2.5. Results of PBT and vPvB assessment		
Surface tension 0.024 N/m (20 °C) Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants. 2.5. Results of PBT and vPvB assessment	<u> </u>	May be namula to plant growth, blooming and natitionnation.
Log Koc Koc,34; Calculated value Ecology - soil Slightly harmful to plants. 2.5. Results of PBT and vPvB assessment	, ,	0.004 N/m (00.90)
Ecology - soil Slightly harmful to plants. 2.5. Results of PBT and vPvB assessment		· · ·
2.5. Results of PBT and vPvB assessment		· ·
		sessment

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

UN-No. (ADR) : 1993 UN-No.(IATA) : 1993

14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IATA) : FLAMMABLE LIQUID, N.O.S.

Transport document description (ADR) : UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II, (D/E)

14.3. Packing group

14.1. UN number

Class (ADR) : 3

25/09/2015 EN (English US) 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Classification code (ADR) : F1
Class (IATA) : 3
Hazard labels (ADR) : 3



Hazard labels (IATA) : 3



14.4. Packing group

Packing group (ADR) : II Packing group (IATA) : II

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 33 Classification code (ADR) : F1

Orange plates

33 1993

Special provision (ADR) : 274, 601, 640D

Transport category (ADR) : 2
Tunnel restriction code (ADR) : D/E
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

: 364 CAO packing instructions (IATA) CAO max net quantity (IATA) : 60L PCA packing instructions (IATA) : 353 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA max net quantity (IATA) : 5L PCA Excepted quantities (IATA) : E2 ERG code (IATA) : 3H

14.6.4. Inland waterway transport

Carriage prohibited (ADN) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

25/09/2015 EN (English US) 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.

25/09/2015 EN (English US) 8/8