

8260 System Performance Check

Safety Data Sheet Date of issue: 29/06/2015

Revision date:

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Mixture
Product name	: 8260 System Performance Check
Product code	: AL0-101486
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec : Laboratory Use

- Industrial
- For professional use only

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet 1.3.

Phenova 6390 Joyce Dr. Suite 100 80403 Golden, CO - United States T 1-866-942-2978 - F 1-866-283-0269 info@phenova.com - www.phenova.com 1.4. Emergency telephone number

Emergency number

ChemTel Assistance (US/Canada) 1-800-255-3924 ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2	H225
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
STOT SE 1	H370
Ozone	

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F+' R12 T; R23/24/25 T; R39/23/24/25 N; R59 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS02 GHS06 GHS08 Signal word (CLP) : Danger Hazardous ingredients : methanol, 1,1,2,2-tetrachloroethane Hazard statements (CLP) H225 - Highly flammable liquid and vapor H301+H311 - Toxic if swallowed or in contact with skin

	H370 - Causes damage to organs
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P260 - Do not breathe dust/fume/gas/mist/vapors/spray P270 - Do not eat, drink or smoke when using this product P280 - Wear protective gloves/protective clothing/eye protection/face protection P308+P313 - IF exposed or concerned: Get medical advice/attention P361+P364 - Take off immediately all contaminated clothing and wash it before reuse P403+P235 - Store in a well-ventilated place. Keep cool
EUH phrases	: EUH059 - Hazardous to the ozone layer
No labeling applicable	
2.3. Other hazards	

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	99	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370	
bromoform (Component)	(CAS No) 75-25-2 (EC no) 200-854-6 (EC index no) 602-007-00-X	0.2	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	
chlorobenzene (Component)	(CAS No) 108-90-7 (EC no) 203-628-5 (EC index no) 602-033-00-1	0.2	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	
chloromethane (Component)	(CAS No) 74-87-3 (EC no) 200-817-4 (EC index no) 602-001-00-7	0.2	Flam. Gas 1, H220 Carc. 2, H351 STOT RE 2, H373 Ozone	
1,1-dichloroethane (Component) substance with a Community workplace exposure limit	(CAS No) 75-34-3 (EC no) 200-863-5 (EC index no) 602-011-00-1	0.2	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412	
1,1,2,2-tetrachloroethane (Component)	(CAS No) 79-34-5 (EC no) 201-197-8 (EC index no) 602-015-00-3	0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Aquatic Chronic 2, H411	
Name	Product identifier	Specific	Specific concentration limits	
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X		10) STOT SE 2, H371 STOT SE 1, H370	

SECTION 4: First aid measures

4.1. Description of first aid measure	S	
First-aid measures general	 Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. 	
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.	
4.3. Indication of any immediate me	dical attention and special treatment needed	
No additional information available		

dditional information ava

Salety Data Sheet			
SECTION 5: Firefighting			
5.1. Extinguishing media	a		
Suitable extinguishing media	: Use extinguishing media	a appropriate for surrounding fire.	
Unsuitable extinguishing media	: Do not use a heavy wat	er stream.	
5.2. Special hazards aris	sing from the substance or mixture		
No additional information availa	ble		
5.3. Advice for firefighte	re		
Firefighting instructions		or cooling exposed containers. Exercise caution when fighting any	
		e-fighting water from entering environment.	
Protection during firefighting	: Do not enter fire area wi	thout proper protective equipment, including respiratory protection.	
SECTION 6: Accidental			
6.1. Personal precaution	is, protective equipment and emergency p	rocedures	
6.1.1. For non-emergency	personnel		
Emergency procedures	: Evacuate unnecessary	personnel.	
C 4 2			
6.1.2. For emergency resp			
Protective equipment	: Equip cleanup crew with	proper protection.	
Emergency procedures	: Ventilate area.		
6.2. Environmental preca	autions		
Prevent entry to sewers and pu	blic waters. Notify authorities if liquid enters s	ewers or public waters.	
6.3. Methods and materi	al for containment and cleaning up		
Methods for cleaning up	: Take up in absorbent m	aterial. Collect spillage.	
6.4. Reference to other s			
See Heading 8. Exposure contr	· ·		
SECTION 7: Handling a	nd storage		
7.1. Precautions for safe	e handling		
Precautions for safe handling		exposed areas with mild soap and water before eating, drinking or	
	•	ng work. Provide good ventilation in process area to prevent formation	
	of vapor.	of seen and water. Demove/Teles off immediately all contaminated	
Hygiene measures		of soap and water. Remove/Take off immediately all contaminated nated clothing before reuse.	
	-		
	storage, including any incompatibilities		
Storage conditions		hen not in use. Keep container tightly closed and in a well-ventilated any flames or sparking source.	
Incompatible materials	: Direct sunlight.	any names of sparking source.	
	. Direct schlight.		
7.3. Specific end use(s)			
No additional information availa	ble		
SECTION 8: Exposure c	controls/personal protection		
8.1. Control parameters			
chlorobenzene (108-90-7)			
USA OSHA	OSHA PEL (TWA) (ma/m³)	350 ma/m³	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
USA OSHA	OSHA PEL (TWA) (ppm)	75 mppcf	
8.2. Exposure controls			
Appropriate engineering control		eneral room ventilation is usually required.	
Personal protective equipment		xposure. Gloves. Protective clothing. Protective goggles. Safety	
	glasses.		
Hand protection	: Wear chemically resista	nt protective gloves. Wear suitable gloves resistant to chemical	
	penetration.		
Eye protection	: Chemical goggles or sa	: Chemical goggles or safety glasses. Safety glasses.	
Skin and body protection		ive gloves, lab coat or apron to prevent prolonged or repeated skin	
	contact.		

- Respiratory protection Other information
- : Wear appropriate mask.
- : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical	and chamical properties
9.1. Information on basic physical	and chemical properties
Physical state	: Liquid
Color	: Colorless.
Odor	: characteristic.
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Relative density	: No data available
Solubility	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability Not established. 10.3. Possibility of hazardous reactions Not established. 10.4. Continues avoid Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials No additional information available 10.6. BECTION 11: Toxicological information 11.1. Information on toxicological effects Accute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 8260 System Performance Check ATE CLP (oral) ATE CLP (oral) A 30.000 mg/kg body weight ATE CLP (oral) A 30.000 mg/kg (Rat) ATE CLP (oral) A 30.000 mg/kg (Rat) ATE CLP (oral) A 30.000 mg/kg (Rat) ATE CLP (oust, mist)			
No additional information available 10.2. Chemical stability Not established. 10.3. Possibility of hazardous reactions Not established. 10.4. Conditions to avoid Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials No additional information available 10.6. Hazardous decomposition products No additional information available SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 8260 System Performance Check ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (oral) 270.270 mg/kg body weight ATE CLP (oral) 933 mg/kg (Rat) ATE CLP (ust, mist) 0.500 mg/kg body weight ATE CLP (ust, mist) 0.500 mg/kg (Rat) Difference <td< td=""><td>SECTION 10: Stability and reactivity</td><td></td></td<>	SECTION 10: Stability and reactivity		
10.2. Chemical stability Not established. 10.3. 10.4. Conditions to avoid Direct sunlight. Extremely high or low temperatures. 10.5. 10.5. Incompatible materials No additional information available 10.6. 10.6. Hazardous decomposition products No additional information available 10.6. SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 2820 System Performance Check 100.929 mg/kg body weight ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight Disconform (75-25-2) 10.000 ppmV/4h Disconf rat 933 mg/kg (Rat) ATE CLP (uses) 700.000 pg/W/4h ATE CLP (uses) 700.000 pg/W/4h ATE CLP (users) 3.000 mg/kg body weight ATE CLP (user, mist) 0.500 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight, Rat) Diso or at at > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg body doweight, Rat)	10.1. Reactivity		
Not established. 10.3. Possibility of hazardous reactions Not established. 10.4. Conditions to avoid Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials No additional information available 10.6. Hazardous decomposition products No additional information available SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 8260 System Performance Check ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight Disconform (75-25-2) 100.000 ppmV/4h Disconfor (75-25-2) 100.000 ppmV/4h Disconform (75-25-2) 3.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (usal) 933.000 mg/kg body weight ATE CLP (usal, mist) 0.500 mg/l/4h ATE CLP (usa, mist) 0.500 mg/l/4h ATE CLP (usa, mist) 0.500 mg/l/4h Disconf rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg body weight Disconf rat > 2000 mg/k	No additional information available		
10.3. Possibility of hazardous reactions Not established. 10.4. Conditions to avoid Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials No additional information available 10.6. Hazardous decomposition products No additional information available SECTION 11: Toxicological information 11. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. S260 System Performance Check ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (oral) 270.270 mg/kg body weight Diso oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (varis) 30.000 ppW/kh ATE CLP (quart, mixt) 0.500 mg/kg hody weight ATE CLP (quart, mixt) 0.500 mg/kg hody Chorobenzene (108-90-7) 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg body weight; Rat) LD50 dermal rat > 2000 mg/kg (Rat); Literature study) LD50 dermal rat > 2000 mg/kg (Rat); Literature study) LD50 dermal rabbit > 2200 mg/kg (Rabit, Liter	10.2. Chemical stability		
Not established. 10.4. Conditions to avoid Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials No additional information available 10.6. Hazardous decomposition products No additional information available SECTION 11: Toxicological information 11. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 8260 System Performance Check ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight Discorr (75-25-2) LD50 oral rat 933 mg/kg (Rat) ATE CLP (vapors) 3.000 mg/kg body weight ATE CLP (vapors) 3.000 mg/kg body weight ATE CLP (vapors) 3.000 mg/kg hody weight ATE CLP (vapors) 3.000 mg/kg hody weight ATE CLP (dust, mist) 0.500 mg/l/4h Chlorobenzene (108-90-7) LD50 oral rat LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg body weight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) <	Not established.		
Not established. 10.4. Conditions to avoid Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials No additional information available 10.6. Hazardous decomposition products No additional information available SECTION 11: Toxicological information 11. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 8260 System Performance Check ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight Discorr (75-25-2) LD50 oral rat 933 mg/kg (Rat) ATE CLP (vapors) 3.000 mg/kg body weight ATE CLP (vapors) 3.000 mg/kg body weight ATE CLP (vapors) 3.000 mg/kg hody weight ATE CLP (vapors) 3.000 mg/kg hody weight ATE CLP (dust, mist) 0.500 mg/l/4h Chlorobenzene (108-90-7) LD50 oral rat LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg body weight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) <	10.3. Possibility of hazardous reactions		
Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials No additional information available 10.6. Hazardous decomposition products No additional information available SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 3260 System Performance Check ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (oral) 270.270 mg/kg body weight ATE CLP (oral) 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (arenal) 933.000 mg/kg body weight ATE CLP (grases) 700.000 ppmV/kh ATE CLP (quars) 3.000 mg/kg body weight ATE CLP (quars) 3.000 mg/kg body weight ATE CLP (quars) 3.000 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) Diso oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rabbit > 2200 mg/kg (Rat; Literature study) LD50 dermal rabbit > 2200 mg/kg (Rat; Literature study) <			
Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials No additional information available 10.6. Hazardous decomposition products No additional information available SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. SE60 ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (oral) 270.270 mg/kg body weight ATE CLP (oral) 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (gral) 933.000 mg/kg body weight ATE CLP (gral) 933.000 mg/kg body weight ATE CLP (grases) 700.000 ppmV/kh ATE CLP (quars) 3.000 mg/kg body weight ATE CLP (quars) 3.000 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) Diso dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 inhalation rat (mg/l) 17 mg/kg (Ratbit; Literature study)	10.4 Conditions to avoid		
10.5. Incompatible materials No additional information available 10.6. Hazardous decomposition products No additional information available SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 8260 System Performance Check ATE CLP (oral) ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight bromoform (75-25-2) UDS0 oral rat LDS0 oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg lody weight ATE CLP (oral) 933.000 mg/kg lody weight ATE CLP (oral) 933.000 mg/kg lody weight ATE CLP (uses) 700.000 ppmV/4h ATE CLP (dust, mist) 0.500 mg/l/4h Chorobenzene (108-90-7) UDS0 oral rat LDS0 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg LDS0 dermal rat > 2000 mg/kg (Rabbit; Literature study) LDS0 dermal rat > 2200 mg/kg (Rabbit; Literature study) <			
No additional information available 10.6. Hazardous decomposition products No additional information available SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 8260 System Performance Check ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight bromoform (75-25-2) LD50 oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (usess) 700.000 ppmV/4h ATE CLP (dust, mist) 0.500 mg/l/4h ATE CLP (dust, mist) 0.500 mg/l/4h ATE CLP (dust, mist) 0.500 mg/l/4h LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2200 mg/kg (Rabbit; Literature study) LD50 dermal rat > 22000 mg/kg (Rabbit; Literature study)			
Instruction Hazardous decomposition products No additional information available SECTION 11: Toxicological information 11.1 Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 3260 System Performance Check ATE CLP (oral) ATE CLP (dermal) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight bromoform (75-25-2) LD50 oral rat LD50 oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/l/kh ATE CLP (dust, mist) 0.500 mg/l/4h Chorobenzene (108-90-7) LD50 oral rat LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2200 mg/kg (Rat; Literature study) LD50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat)			
No additional information available SECTION 11: Toxicological information 11.1 Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. S260 System Performance Check ATE CLP (oral) ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) bromoform (75-25-2) LD50 oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg hody weight ATE CLP (dust, mist) 0.500 mg/kg ATE CLP (dust, mist) 0.500 mg/kg D50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2200 mg/kg (Ratb)it; Literature study) LD50 inhalation rat (m	No additional information available		
SECTION 11: Toxicological information 11.1 Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 3260 System Performance Check ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight Defection (75-25-2) LD50 oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (uspars) 3.000 mg/kg body weight ATE CLP (dust, mist) 0.500 mg/l/4h Chlorobenzene (108-90-7) LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat); Literature study) LD50 dermal rat > 2000 mg/kg (Ratbit; Literature study) LD50 dermal rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (npm) 3630 ppm/4h (Rat)	10.6. Hazardous decomposition products		
11.1. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 8260 System Performance Check ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight bromoform (75-25-2) Example LD50 oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg (Rat) ATE CLP (dust, mist) 0.500 mg/l/4h ATE CLP (dust, mist) 0.500 mg/l/4h Chlorobenzene (108-90-7) Experimental value; >2000 mg/kg body weight; Rat) LD50 dermal rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg body weight; Rat) LD50 dermal rat > 2000 mg/kg (Ratbit; Literature study) LD50 dermal rat > 2200 mg/kg (Ratbit; Literature study) LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat) <td>No additional information available</td> <td></td>	No additional information available		
Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. 8260 System Performance Check 100.929 mg/kg body weight ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight bromoform (75-25-2) 100.929 mg/kg (Rat) LD50 oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 930.000 pmV/4h ATE CLP (dust, mist) 0.500 mg//4h Chlorobenzene (108-90-7) 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 oral rat > 1427 mg/kg (Rat; Literature study) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rabbit > 2200 mg/kg (Rabbit; Literature study) LC50 inhalation rat (mg/l) 17 mg//4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	SECTION 11: Toxicological information	n	
8260 System Performance Check ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight bromoform (75-25-2) 2000 mg/kg (Rat) LD50 oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (vapors) 3.000 mg/l/4h ATE CLP (dust, mist) 0.500 mg/l/4h ATE CLP (dust, mist) 0.500 mg/l/4h Chlorobenzene (108-90-7) 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rabbit > 2200 mg/kg (Rabbit; Literature study) LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	11.1. Information on toxicological effects		
ATE CLP (oral) 100.929 mg/kg body weight ATE CLP (dermal) 270.270 mg/kg body weight bromoform (75-25-2) 2000 mg/kg (Rat) LD50 oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (asses) 700.000 ppmV/4h ATE CLP (uspors) 3.000 mg/l/4h ATE CLP (dust, mist) 0.500 mg/l/4h Chlorobenzene (108-90-7) LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2200 mg/kg (Rabbit; Literature study) LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	Acute toxicity	Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.	
ATE CLP (dermal)270.270 mg/kg body weightbromoform (75-25-2)LD50 oral rat933 mg/kg (Rat)ATE CLP (oral)933.000 mg/kg body weightATE CLP (gases)700.000 ppmV/4hATE CLP (vapors)3.000 mg/l/4hATE CLP (dust, mist)0.500 mg/l/4hChlorobenzene (108-90-7)1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat)LD50 oral rat> 1427 mg/kg (Rat; Literature study)LD50 dermal rat> 2000 mg/kg (Rat; Literature study)LD50 dermal rat> 2000 mg/kg (Rat)LD50 dermal rat> 2000 mg/kg (Rat)LC50 inhalation rat (mg/l)17 mg/l/4h (Rat)LC50 inhalation rat (ppm)3630 ppm/4h (Rat)	8260 System Performance Check		
bromoform (75-25-2) LD50 oral rat 933 mg/kg (Rat) ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (gases) 700.000 ppmV/4h ATE CLP (vapors) 3.000 mg/l/4h ATE CLP (dust, mist) 0.500 mg/l/4h Chlorobenzene (108-90-7) 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 oral rat > 1427 mg/kg (Rat; Literature study) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2200 mg/kg (Rat); Literature study) LD50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	ATE CLP (oral)	100.929 mg/kg body weight	
LD50 oral rat933 mg/kg (Rat)ATE CLP (oral)933.000 mg/kg body weightATE CLP (gases)700.000 ppmV/4hATE CLP (vapors)3.000 mg/l/4hATE CLP (dust, mist)0.500 mg/l/4hChlorobenzene (108-90-7)LD50 oral rat> 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat)LD50 dermal rat> 2000 mg/kg (Rat; Literature study)LD50 dermal rat> 2200 mg/kg (Rat; Literature study)LD50 dermal rat (mg/l)17 mg/l/4h (Rat)LC50 inhalation rat (ppm)3630 ppm/4h (Rat)	ATE CLP (dermal)	270.270 mg/kg body weight	
ATE CLP (oral) 933.000 mg/kg body weight ATE CLP (gases) 700.000 ppmV/4h ATE CLP (vapors) 3.000 mg/l/4h ATE CLP (dust, mist) 0.500 mg/l/4h Chlorobenzene (108-90-7) 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 oral rat > 1427 mg/kg (Rat; Literature study) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2200 mg/kg (Rat); Literature study) LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	bromoform (75-25-2)		
ATE CLP (gases) 700.000 ppmV/4h ATE CLP (vapors) 3.000 mg/l/4h ATE CLP (dust, mist) 0.500 mg/l/4h Chlorobenzene (108-90-7) LD50 oral rat LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2200 mg/kg (Rat; Literature study) LD50 dermal rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	LD50 oral rat	933 mg/kg (Rat)	
ATE CLP (vapors) 3.000 mg/l/4h ATE CLP (dust, mist) 0.500 mg/l/4h chlorobenzene (108-90-7) LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rat > 2200 mg/kg (Rat; Literature study) LD50 dermal rat > 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	ATE CLP (oral)	933.000 mg/kg body weight	
ATE CLP (dust, mist) 0.500 mg/l/4h chlorobenzene (108-90-7) LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rabbit > 2200 mg/kg (Rabbit; Literature study) LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	ATE CLP (gases)	700.000 ppmV/4h	
chlorobenzene (108-90-7) LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rabbit > 2200 mg/kg (Rabbit; Literature study) LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	ATE CLP (vapors)	3.000 mg/l/4h	
LD50 oral rat > 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rabbit > 2200 mg/kg (Rabit; Literature study) LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	ATE CLP (dust, mist)	0.500 mg/l/4h	
bodyweight; Rat) LD50 dermal rat > 2000 mg/kg (Rat; Literature study) LD50 dermal rabbit > 2200 mg/kg (Rabbit; Literature study) LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	chlorobenzene (108-90-7)		
LD50 dermal rabbit > 2200 mg/kg (Rabbit; Literature study) LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	LD50 oral rat		
LC50 inhalation rat (mg/l) 17 mg/l/4h (Rat) LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	LD50 dermal rat	> 2000 mg/kg (Rat; Literature study)	
LC50 inhalation rat (ppm) 3630 ppm/4h (Rat)	LD50 dermal rabbit	> 2200 mg/kg (Rabbit; Literature study)	
	LC50 inhalation rat (mg/l)	17 mg/l/4h (Rat)	
ATE CLP (gases) 3630.000 ppmV/4h	LC50 inhalation rat (ppm)		
	ATE CLP (gases)	3630.000 ppmV/4h	

chlorobenzene (108-90-7)	
ATE CLP (vapors)	17.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
chloromethane (74-87-3)	
LD50 oral rat	1800 mg/kg (Rat)
LC50 inhalation rat (mg/l)	5.3 mg/l/4h (Rat)
ATE CLP (oral)	1800.000 mg/kg body weight
ATE CLP (vapors)	5.300 mg/l/4h
ATE CLP (dust, mist)	5.300 mg/l/4h
1,1-dichloroethane (75-34-3)	
LD50 oral rat	725 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 2348 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	54 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	13000 ppm/4h (Rat; Literature study)
ATE CLP (oral)	725.000 mg/kg body weight
ATE CLP (gases)	13000.000 ppmV/4h
ATE CLP (vapors)	54.000 mg/l/4h
ATE CLP (dust, mist)	54.000 mg/l/4h
1,1,2,2-tetrachloroethane (79-34-5)	
LD50 oral rat	250 mg/kg (Rat; Literature study)
LD50 dermal rabbit	3990 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	8.6 mg/l/4h (Rat; Literature study)
ATE CLP (oral)	250.000 ma/kg body weight
ATE CLP (dermal)	5.000 mg/kg body weight
ATE CLP (gases)	100.000 ppmV/4h
ATE CLP (vapors)	8.600 mg/l/4h
ATE CLP (dust, mist)	0.050 mg/l/4h
methanol (67-56-1)	5000 meller (Det DAOE test Literature studie 4407 0700 meller hedennishte Det Weishtest
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h
Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
	Based on available data, the classification criteria are not met
Respiratory or skin sensitization	: Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
	Based on available data, the classification criteria are not met
	May cause cancer
Reproductive toxicity	: Not classified
. ,	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Causes damage to organs.
opeone target organ toxicity (single exposure)	Based on available data, the classification criteria are not met
.	
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
- F	Based on available data, the classification criteria are not met
Potential Adverse human health effects and	
symptoms	: Based on available data, the classification criteria are not met.
29/06/2015	EN (English US) 5/1

SECTION 12: Ecological information	

12.1. Toxicity

bromoform (75-25-2)	
LC50 fish 2	7.1 mg/l (LC50; 96 h)
EC50 Daphnia 2	7.2 - 46 mg/l (EC50; 48 h)
chlorobenzene (108-90-7)	
LC50 fish 2	4.7 mg/l (LC50; 96 h)
EC50 Daphnia 2	0.59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
chloromethane (74-87-3)	
LC50 fish 2	550 mg/l (LC50; 96 h; Lepomis macrochirus)
Threshold limit algae 1	1450 mg/l (EC0; 148 h)
1,1,2,2-tetrachloroethane (79-34-5)	
EC50 Daphnia 1	9.32 mg/l (EC50; 48 h; Daphnia magna; Static system)
LC50 fish 2	20.3 ppm (LC50; 96 h; Pimephales promelas; Flow-through system)
Threshold limit algae 1	136 mg/l (EC50; 96 h; Selenastrum capricornutum)
methanol (67-56-1)	
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)

12.2. Persistence and degradability		
8260 System Performance Check		
Persistence and degradability	Not established.	
bromoform (75-25-2)		
Persistence and degradability	Not readily biodegradable in water.	
chlorobenzene (108-90-7)		
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Low potential for adsorption in soil.	
Biochemical oxygen demand (BOD)	0.03 g O /g substance	
Chemical oxygen demand (COD)	0.41 g O /g substance	
ThOD	2.06 g O /g substance	
BOD (% of ThOD)	0.0145	
chloromethane (74-87-3)		
Persistence and degradability	Not readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0 g O /g substance	
1,1-dichloroethane (75-34-3)		
Persistence and degradability	Not readily biodegradable in water. Not readily biodegradable in the soil. No (test)data on mobility of the substance available.	
Biochemical oxygen demand (BOD)	0.002 g O /g substance	
ThOD	0.81 - 0.97 g O /g substance	
1,1,2,2-tetrachloroethane (79-34-5)		
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. No (test)data on mobility of the substance available.	
methanol (67-56-1)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O /g substance	
Chemical oxygen demand (COD)	1.42 g O /g substance	
ThOD	1.5 g O /g substance	
BOD (% of ThOD)	0.8 (Literature study)	
12.3. Bioaccumulative potential		
8260 System Performance Check		
Bioaccumulative potential	Not established.	
bromoform (75-25-2)		
BCF fish 1	3.2 (BCF)	
BCF fish 2	7.7 - 21 (BCF)	
BCF other aquatic organisms 1	31.7 (BCF)	

Balely Data Sheet	
bromoform (75-25-2)	
BCF other aquatic organisms 2	8.3 - 21 (BCF)
Log Pow	2.37 - 2.5
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
chlorobenzene (108-90-7)	
BCF fish 1	447 (BCF)
BCF fish 2	3.9 - 40 (BCF)
Log Pow	2.8 - 2.98
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
chloromethane (74-87-3)	
Log Pow	0.91
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
	Low potential for bloaccumulation (Log Now < 4).
1,1-dichloroethane (75-34-3)	
BCF fish 1	1.2 (BCF; 109 h; Pisces)
Log Pow	1.79 - 1.99 (Literature study)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
1,1,2,2-tetrachloroethane (79-34-5)	
BCF fish 1	4.1 - 13.2 (BCF; Cyprinus carpio)
Log Pow	2.39 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
methanol (67-56-1)	
BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)
Log Pow	-0.77 (Experimental value; Other)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
12.4. Mobility in soil	
bromoform (75-25-2)	
Surface tension	0.045 N/m (25 °C)
chlorobenzene (108-90-7)	
Surface tension	0.033 N/m (25 °C)
Log Koc	Koc, PCKOCWIN v1.66; 268; Calculated value; log Koc; PCKOCWIN v1.66; 2.42; Calculated value
	Value
chloromethane (74-87-3)	
Surface tension	0.016 N/m (20 °C)
1,1-dichloroethane (75-34-3)	
Surface tension	0.025 N/m
1,1,2,2-tetrachloroethane (79-34-5)	
Surface tension	0.035 N/m (20 °C)
methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
Log Koc	Koc,PCKOCWIN v1.66; 1; Calculated value
12.5. Results of PBT and vPvB asses	
No additional information available	Sment
12.6. Other adverse effects	
Additional information	: Avoid release to the environment
SECTION 13: Disposal considera	nions
13.1. Waste treatment methods	
Naste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport informat	ion
SECTION 14: Transport informat	
n accordance with ADR / RID / IMDG / IAT	A / AUN
14.1. UN number	
JN-No. (ADR)	: 1992
UN-No.(IATA)	: 1992
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
20/00/2017	

Proper Shipping Name (IATA)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Transport document description (ADR)	: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II, (D/E)
14.3. Packing group	
Class (ADR)	: 3
Classification code (ADR)	: FT1
Class (IATA)	: 3
Subsidiary risks (ADR)	: 6.1
Hazard labels (ADR)	: 3, 6.1
Hazard labels (IATA)	: 3, 6.1
14.4. Packing group	
Packing group (ADR) Packing group (IATA)	: II : II
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
14.6.1. Overland transport	
Hazard identification number (Kemler No.)	: 336
Classification code (ADR)	: FT1
Orange plates	336 1992
Special provision (ADR)	: 274
Transport category (ADR)	: 2
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
14.6.2. Transport by sea No additional information available	
14.6.3. Air transport	
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
PCA packing instructions (IATA)	: 352
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA max net quantity (IATA)	: 1L
PCA Excepted quantities (IATA)	: E2
ERG code (IATA)	: 3HP
14.6.4. Inland waterway transport	
Carriage prohibited (ADN)	: No
14.7. Transport in bulk according to Ann	ex II of MARPOL 73/78 and the IBC Code
Not applicable	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

8260 System Performance Check

Safety Data Sheet

Contains no substances with Annex XVII restrictions Contains no REACH candidate substance Contains no REACH Annex XIV substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment No chemical safety assessment has been carried out		
SECTION 16: Other information		
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.	
Other information	: None.	

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.