

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 20/11/2017 Revision date: :

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Mixture
Product name	: Custom n-Amyl Acetate
Product code	: AL0-130192
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1.	Relevant identified uses	
Main us	e category	: Laboratory Use

Industrial/Professional use spec

Industrial
 For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Phenova 6390 Joyce Dr. Suite 100 80403 Golden, CO - United States T 1-866-942-2978 - F 1-866-283-0269 info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number

: ChemTel Assistance (US/Canada) 1-800-255-3924 ChemTel Assistance (International) +1 813-248-0585

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2	H225
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
STOT SE 1	H370

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 T; R23/24/25 T; R39/23/24/25 Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements	
Labeling according to Regulation (EC) No.	1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS06 GHS08
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H225 - Highly flammable liquid and vapor H301+H311 - Toxic if swallowed or in contact with skin H370 - Causes damage to organs
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
20/11/2017	EN (English US) 1/8

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	smoking
	P233 - Keep container tightly closed
	P260 - Do not breathe dust/fume/gas/mist/vapors/spray
	P270 - Do not eat, drink or smoke when using this product
	P280 - Wear protective gloves/protective clothing/eye protection/face protection
	P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water
	P308+P313 - IF exposed or concerned: Get medical advice/attention
	P361+P364 - Take off immediately all contaminated clothing and wash it before reuse
	P370+P378 - In case of fire: Use media other than water to extinguish
	P403+P235 - Store in a well-ventilated place. Keep cool
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation
ling applicable	

No labeling applicable

2.3. Other hazards

### No additional information available

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methanol (Component)	(CAS No) 67-56-1 (EC-No.) 200-659-6 (EC index no) 603-001-00-X	99.8	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
Amyl Acetate (Component)	(CAS No) 628-63-7 (EC-No.) 211-047-3 (EC index no) 607-130-00-2	0.2	Flam. Liq. 3, H226 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Name	Product identifier	Specific of	oncentration limits
methanol (Component)	(CAS No) 67-56-1 (EC-No.) 200-659-6 (EC index no) 603-001-00-X		0) STOT SE 2, H371 TOT SE 1, H370

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	<ul> <li>Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical advice/attention.</li> </ul>
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	<ul> <li>Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Wash with plenty of soap and water. Wash contaminated clothing before reuse.</li> </ul>
First-aid measures after eye contact	<ul> <li>Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Obtain medical attention if pain, blinking or redness persists.</li> </ul>
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after skin contact	<ul> <li>Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin.</li> </ul>
Symptoms/effects after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

<b>SECTION 5: Firefighting measure</b>	S
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	e substance or mixture
Fire hazard	: Highly flammable liquid and vapor.
Explosion hazard	: May form flammable/explosive vapor-air mixture.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	172000 (NEACIT) with its amendment Regulation (EC	) 2013/030	
5.3. Advice for firefighte	ers		
Firefighting instructions		: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection during firefighting	: Do not enter fire area wit	hout proper protective equipment, including respiratory protection.	
<b>SECTION 6: Accidental</b>	release measures		
6.1. Personal precaution	ns, protective equipment and emergency pr	ocedures	
6.1.1. For non-emergency	/ personnel		
Emergency procedures	: Evacuate unnecessary p	ersonnel.	
6.1.2. For emergency res	ponders		
Protective equipment	: Equip cleanup crew with	proper protection. Avoid breathing dust/fume/gas/mist/vapors/spray.	
Emergency procedures	: Ventilate area.		
6.2. Environmental prec			
Prevent entry to sewers and pu	ublic waters. Notify authorities if liquid enters se	ewers or public waters.	
	ial for containment and cleaning up		
Methods for cleaning up	: Take up in absorbent ma	terial. Collect spillage.	
6.4. Reference to other			
See Heading 8. Exposure cont			
SECTION 7: Handling a	<b>T</b>		
7.1. Precautions for saf			
Additional hazards when proce		: Handle empty containers with care because residual vapors are flammable.	
Precautions for safe handling	smoking and when leavir	xposed areas with mild soap and water before eating, drinking or ng work. Provide good ventilation in process area to prevent formation s. No smoking. Use only non-sparking tools.	
Hygiene measures		: Do not eat, drink or smoke when using this product. Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.	
7.2. Conditions for safe	storage, including any incompatibilities		
Technical measures	: Proper grounding proced container and receiving e	ures to avoid static electricity should be followed. Ground/bond equipment.	
Storage conditions		: Keep in fireproof place. Keep container tightly closed. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.	
Incompatible materials	Incompatible materials : Direct sunlight. Heat sources.		
7.3. Specific end use(s)			
No additional information availa	able		
SECTION 8: Exposure	controls/personal protection		
8.1. Control parameters			
Amyl Acetate (628-63-7)			
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	525	
USA OSHA	OSHA PEL (TWA) (ppm)	525	
methanol (67-56-1)			
EU	IOELV TWA (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup> (Methanol; EU; Time-weighted average	

EU	IOELV TWA (mg/m³)	260 mg/m <sup>3</sup> (Methanol; EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)	
EU	IOELV TWA (ppm)	200 ppm (Methanol; EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)	
Belgium	Limit value (mg/m³)	266 mg/m <sup>3</sup> (Alcool méthylique; Belgium; Time- weighted average exposure limit 8 h)	
Belgium	Limit value (ppm)	200 ppm (Alcool méthylique; Belgium; Time-weighted average exposure limit 8 h)	
Belgium	Short time value (mg/m³)	333 mg/m <sup>3</sup> (Alcool méthylique; Belgium; Short time value)	
Belgium	Short time value (ppm)	250 ppm (Alcool méthylique; Belgium; Short time value)	
France	VLE (mg/m <sup>3</sup> )	1300 mg/m³ (Methanol; France; Short time value; VL: Valeur non réglementaire indicative)	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

methanol (67-56-1)		
France	VLE (ppm)	1000 ppm (Methanol; France; Short time value; VL: Valeur non réglementaire indicative)
France	VME (mg/m³)	260 mg/m <sup>3</sup> (Methanol; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
France	VME (ppm)	200 ppm (Methanol; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200 ppm (Methanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm (Methanol; USA; Short time value; TLV - Adopted Value)
Netherlands	Grenswaarde TGG 8H (mg/m³)	133 mg/m <sup>3</sup> (Methanol; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
Netherlands	Grenswaarde TGG 8H (ppm)	100 ppm (Methanol; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
United Kingdom	WEL TWA (mg/m³)	266 mg/m <sup>3</sup> Methanol; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL TWA (ppm)	200 ppm Methanol; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (mg/m³)	333 mg/m³ Methanol; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (ppm)	250 ppm Methanol; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

- : Either local exhaust or general room ventilation is usually required.
- : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.



: Do not eat, drink or smoke during use.

Hand protection	: Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration.
Eye protection	: Chemical goggles or safety glasses. Safety glasses.
Skin and body protection	: Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.

: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

Other information

Respiratory protection

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and o	hemical properties
Physical state	: Liquid
Color	: Colorless.
Odor	: characteristic.
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapor
Relative density	: No data available
Solubility	: No data available
Explosive properties	: No data available

# Custom n-Amyl Acetate Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) w	ith its amendment Regulation (EU) 2015/830
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Highly flammable liquid and vapor. May form flar	nmable/explosive vapor-air mixture
10.3. Possibility of hazardous reactions Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperature	res. Open flame.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	;
May release flammable gases.	
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.
Custom n-Amyl Acetate	
ATE CLP (oral)	100.2004008016 mg/kg body weight
ATE CLP (dermal)	300.6012024048 mg/kg body weight
Amyl Acetate (628-63-7)	·
LD50 oral rat	7400 mg/kg
ATE CLP (oral)	7400 mg/kg body weight
methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LDF0 down of well 11	
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm)	85 mg/l/4h (Rat; Literature study) 64000 ppm/4h (Rat; Literature study)
LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral)	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight
LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal)	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight
LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (gases)	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h
LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (gases) ATE CLP (vapors)	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h
LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (gases) ATE CLP (vapors)	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         : Not classified
LC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE CLP (oral)ATE CLP (dermal)ATE CLP (gases)ATE CLP (vapors)ATE CLP (dust, mist)Skin corrosion/irritation	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         : Not classified         Based on available data, the classification criteria are not met
LC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE CLP (oral)ATE CLP (dermal)ATE CLP (gases)ATE CLP (vapors)ATE CLP (dust, mist)Skin corrosion/irritation	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         : Not classified         Based on available data, the classification criteria are not met         : Not classified
LC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE CLP (oral)ATE CLP (dermal)ATE CLP (gases)ATE CLP (vapors)ATE CLP (dust, mist)Skin corrosion/irritationSerious eye damage/irritation	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met
LC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE CLP (oral)ATE CLP (dermal)ATE CLP (gases)ATE CLP (vapors)ATE CLP (dust, mist)Skin corrosion/irritationSerious eye damage/irritation	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         control = 1000 mg/kg         85 mg/l/4h         64000 ppmV/4h         3 mg/l/4h         85 mg/l/4h         9.5 mg/l/4h         100 classified         Based on available data, the classification criteria are not met         100 classified         Based on available data, the classification criteria are not met         100 classified         Based on available data, the classification criteria are not met         100 classified         Based on available data, the classification criteria are not met         100 classified         Based on available data, the classification criteria are not met         100 classified         100 classified </td
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Respiratory or skin sensitization	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         0.5 mg/l/4h         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Respiratory or skin sensitization	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         2 Not classified         Based on available data, the classification criteria are not met         2 Not classified         Based on available data, the classification criteria are not met         2 Not classified         Based on available data, the classification criteria are not met         2 Not classified         Based on available data, the classification criteria are not met         2 Not classified         Based on available data, the classification criteria are not met         2 Not classified         Based on available data, the classification criteria are not met         2 Not classified         Based on available data, the classification criteria are not met         3 Not classified         Based on available data, the classification criteria are not met         3 Not classified         Based on available data, the classification criteria are not met         3 Not classified
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Respiratory or skin sensitization         Germ cell mutagenicity	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (upors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Respiratory or skin sensitization         Germ cell mutagenicity	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         0.5 mg/l/4h         reading         64000 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         85 ng/l/4h         0.5 mg/l/4h         100 ng/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         100 ng/kg body weight         100 ng/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         100 ng/kg body weight         101 ng/kg body weight         102 ng/l/4h         102 ng/l/4h         103 ng/l/4h         104 ng/l/4h         105 ng/l/4h         110 ng/l/4h         111 ng/l/4h         111 ng/l/4h         111 ng/l/4h         111 ng/l/4h         111 ng/l/4h     <
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (upors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Respiratory or skin sensitization         Germ cell mutagenicity	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met         * Not classified         Based on available data, the classification criteria are not met
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (upors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Germ cell mutagenicity         Carcinogenicity         Reproductive toxicity	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         0.5 mg/l/4h         100 tclassified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         May cause cancer         Not classified         Based on available data, the classification criteria are not met
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Respiratory or skin sensitization         Germ cell mutagenicity         Carcinogenicity	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         iteration         iteration         iteration         85 mg/l/4h         0.5 mg/l/4h         iteration         iteration         assed on available data, the classification criteria are not met         iteration         iteratiteration         iteration </td
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Respiratory or skin sensitization         Germ cell mutagenicity         Carcinogenicity         Reproductive toxicity         Specific target organ toxicity – single exposure         Specific target organ toxicity – repeated	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         0.5 mg/l/4h         100 tclassified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         Not classified         Based on available data, the classification criteria are not met         May cause cancer         Not classified         Based on available data, the classification criteria are not met
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Germ cell mutagenicity         Carcinogenicity         Reproductive toxicity         Specific target organ toxicity – single exposure	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met         : Not classified         Based on available data, the classification criteria are not met </td
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Respiratory or skin sensitization         Germ cell mutagenicity         Carcinogenicity         Reproductive toxicity         Specific target organ toxicity – single exposure         Specific target organ toxicity – repeated	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         • Not classified         Based on available data, the classification criteria are not met         • Not classified         Based on available data, the classification criteria are not met         • Not classified         Based on available data, the classification criteria are not met         • Not classified         Based on available data, the classification criteria are not met         • Not classified         Based on available data, the classification criteria are not met         • Not classified         Based on available data, the classification criteria are not met         • Not classified         Based on available data, the classification criteria are not met         • Not classified         Based on available data, the classification criteria are not met         • Not classified         Based on available data, the classification criteria are not met         • Not classified         Based on available data, the classification criteria are not met         • Not classified         Based on available data, the classification criteria are not met </td
LC50 inhalation rat (mg/l)         LC50 inhalation rat (ppm)         ATE CLP (oral)         ATE CLP (dermal)         ATE CLP (gases)         ATE CLP (upors)         ATE CLP (dust, mist)         Skin corrosion/irritation         Serious eye damage/irritation         Germ cell mutagenicity         Carcinogenicity         Reproductive toxicity         Specific target organ toxicity – single exposure         Specific target organ toxicity – repeated exposure	85 mg/l/4h (Rat; Literature study)         64000 ppm/4h (Rat; Literature study)         100 mg/kg body weight         300 mg/kg body weight         700 ppmV/4h         3 mg/l/4h         0.5 mg/l/4h         i         Not classified         Based on available data, the classification criteria are not met         :       Not classified         Based on available data, the classification criteria are not met         :       Not classified         Based on available data, the classification criteria are not met         :       Not classified         Based on available data, the classification criteria are not met         :       Not classified         Based on available data, the classification criteria are not met         :       Not classified         Based on available data, the classification criteria are not met         :       Not classified         Based on available data, the classification criteria are not met         :       Not classified         Based on available data, the classification criteria are not met         :       Not classified         Based on available data, the classification criteria are not met         :       Causes damage to organs.         :       Not classified

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Potential Adverse human health effects and symptoms

: Toxic if swallowed. Toxic in contact with skin.

symptoms	
SECTION 12: Ecological informat	ion
12.1. Toxicity	
Amyl Acetate (628-63-7)	
LC50 fish 1	65 mg/l
methanol (67-56-1)	
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)
12.2. Persistence and degradability	
Custom n-Amyl Acetate	
Persistence and degradability	Not established.
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.42 g O <sub>2</sub> /g substance
ThOD	1.5 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.8 (Literature study)
12.3. Bioaccumulative potential	
Custom n-Amyl Acetate	
Bioaccumulative potential	Not established.
methanol (67-56-1)	
BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)
Log Pow	-0.77 (Experimental value; Other)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
12.4. Mobility in soil	
methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
Log Koc	Koc,PCKOCWIN v1.66; 1; Calculated value

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

OFOTION 44 T

Additional information

: Avoid release to the environment

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
Additional information	: Handle empty containers with care because residual vapors are flammable.	
Ecology - waste materials	: Avoid release to the environment. Hazardous waste due to toxicity.	
	· · · · · · · · · · · · · · · · · · ·	

SECTION 14: Transport information		
In accordance with ADR / RID / IMDG / IATA / ADN		
14.1. UN number		
UN-No. (ADR)	: 1992	
UN-No. (IATA)	: 1992	
UN-No. (IMDG)	: 1992	
UN-No. (ADN)	: 1992	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: FLAMMABLE LIQUID, TOXIC, N.O.S.	
Proper Shipping Name (IATA)	: Flammable liquid, toxic, n.o.s.	
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, TOXIC, N.O.S.	
Proper Shipping Name (ADN)	: FLAMMABLE LIQUID, TOXIC, N.O.S.	

# Custom n-Amyl Acetate Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH Transport document description (ADR)	: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II, (D/E)
14.3. Packing group	
	: 3
Class (ADR) Classification code (ADR)	. 5 : FT1
Class (IATA)	: 3
Class (IMDG)	: 3
Class (ADN)	: 3
Classification code (ADN)	: FT1
Subsidiary risks (ADR)	: 6.1
Subsidiary risks (IMDG)	: 6.1
Hazard labels (ADR)	: 3, 6.1
Hazard labels (IATA)	: 3, 6.1
Hazard labels (IMDG)	: 3, 6.1
Hazard labels (ADN)	: 3, 6.1
14.4. Packing group	· · ·
Packing group (ADR) Packing group (IATA)	: II : II
Packing group (IMDG)	: 11
Packing group (ADN)	:
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
14.6.1. Overland transport	
Hazard identification number (Kemler No.)	: 336 · FT1
Classification code (ADR) Orange plates	: FT1
	<u>336</u> 1992
Special provision (ADR)	: 274
Transport category (ADR)	: 2
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
14.6.2. Transport by sea	
Special provision (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH)	With its amendment Regulation (EU) 2015/830
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2, TP13
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Flammable toxic liquid which is not specified by name in this class or, on account of its characteristics, in some other class. Toxic if swallowed, by skin contact or by inhalation.
14.6.3. Air transport	
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
PCA packing instructions (IATA)	: 352
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA max net quantity (IATA)	: 1L
PCA Excepted quantities (IATA)	: E2
Special provision (IATA)	: A3
ERG code (IATA)	: 3HP
14.6.4. Inland waterway transport	
Special provision (ADN)	: 274, 802
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, EX, TOX, A
Ventilation (ADN)	: VE01, VE02
Number of blue cones/lights (ADN)	: 2
Carriage prohibited (ADN)	: No
14.7 Transport in bulk according to Ann	nex II of MARPOL 73/78 and the IBC Code

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

### Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no REACH candidate substance Contains no REACH Annex XIV substances.

### 15.1.2. National regulations

### Germany

### Water hazard class (WGK)

: nwg - non-hazardous to water

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# SECTION 16: Other information Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and

Other information

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances a mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.