

4,4'-DDT Standard

Safety Data Sheet Date of issue: 30/11/2015

Revision date:

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Mixture
Product name	: 4,4'-DDT Standard
Product code	: AL0-101414
Product group	: Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

### Main use category

Industrial/Professional use spec

- : Laboratory Use
- : Industrial For professional use only
- 1.2.2. Uses advised against

### No additional information available

### 1.3. Details of the supplier of the safety data sheet

Phenova 6390 Joyce Dr. Suite 100 80403 Golden, CO - United States T 1-866-942-2978 - F 1-866-283-0269 info@phenova.com 1.4. Emergency telephone number

Emergency number

: ChemTel Assistance (US/Canada) 1-800-255-3924 ChemTel Assistance (International) +1 813-248-0585

### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2	H225
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
STOT SE 1	H370
Aquatic Chronic 2	H411

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 T; R23/24/25 T; R39/23/24/25 N; R51/53 Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elementsLabel elementsLabel elementsLabel elementsHazard pictograms (CLP): $\bigvee_{GHS02}$  $\bigotimes_{GHS06}$  $\bigotimes_{GHS08}$  $\bigotimes_{GHS09}$  $\bigotimes_{GHS09}$  $\bigotimes_{GHS09}$  $\bigotimes_{GHS09}$ Signal word (CLP):DangerHazardous ingredients:4,4'-DDT; methanolHazard statements (CLP):H225 - Highly flammable liquid and vapor<br/>H301+H311 - Toxic if swallowed or in contact with skin

	H370 - Causes damage to organs H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking</li> <li>P233 - Keep container tightly closed</li> <li>P260 - Do not breathe dust/fume/gas/mist/vapors/spray</li> <li>P270 - Do not eat, drink or smoke when using this product</li> <li>P273 - Avoid release to the environment</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P308+P313 - IF exposed or concerned: Get medical advice/attention</li> <li>P312 - Call a POISON CENTER/doctor/ if you feel unwell</li> <li>P361+P364 - Take off immediately all contaminated clothing and wash it before reuse</li> <li>P391 - Collect spillage</li> <li>P403+P235 - Store in a well-ventilated place. Keep cool</li> </ul>
No labeling applicable	

2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

3.1. Substance

### Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	99.9	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
4,4'-DDT (Component)	(CAS No) 50-29-3 (EC no) 200-024-3 (EC index no) 602-045-00-7	0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
Name	Product identifier	Specific of	concentration limits
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X		0) STOT SE 2, H371 TOT SE 1, H370

### SECTION 4: First aid measures

SECTION 4. First alu measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/injuries after skin contact	<ul> <li>Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin.</li> </ul>
Symptoms/injuries after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate med	ical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measure	S
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Highly flammable liquid and vapor.	
03/12/2015	EN (English US)	2/7

afety Data Sheet		
Explosion hazard	: May form flammable/explo	osive vapor-air mixture.
5.3. Advice for firefighter		
Firefighting instructions	chemical fire. Prevent fire	r cooling exposed containers. Exercise caution when fighting any -fighting water from entering environment.
Protection during firefighting	: Do not enter fire area with	nout proper protective equipment, including respiratory protection.
ECTION 6: Accidental	release measures	
.1. Personal precaution	ns, protective equipment and emergency pro	bcedures
.1.1. For non-emergency	personnel	
Emergency procedures	: Evacuate unnecessary pe	ersonnel.
5.1.2. For emergency resp	oonders	
Protective equipment	: Equip cleanup crew with p	proper protection. Avoid breathing dust/fume/gas/mist/vapors/spray.
mergency procedures	: Ventilate area.	
.2. Environmental preca	autions	
revent entry to sewers and pul	blic waters. Notify authorities if liquid enters see	wers or public waters. Avoid release to the environment.
.3. Methods and materia	ial for containment and cleaning up	
lethods for cleaning up	: Take up in absorbent mat	erial. Collect spillage.
.4. Reference to other s	sections	
ee Heading 8. Exposure control	ols and personal protection.	
ECTION 7: Handling a	nd storage	
.1. Precautions for safe	e handling	
dditional hazards when proces	ssed : Handle empty containers	with care because residual vapors are flammable.
recautions for safe handling	smoking and when leaving	cposed areas with mild soap and water before eating, drinking or g work. Provide good ventilation in process area to prevent formatio . No smoking. Use only non-sparking tools.
ygiene measures	: Do not eat, drink or smoke	e when using this product. Gently wash with plenty of soap and wate ately all contaminated clothing. Wash contaminated clothing before
2. Conditions for safe s	storage, including any incompatibilities	
echnical measures	container and receiving e	
torage conditions	well-ventilated place. Kee	eep container tightly closed. Keep container tightly closed and in a p away from any flames or sparking source.
ncompatible materials	: Direct sunlight. Heat sour	Ces.
.3. Specific end use(s)		
lo additional information availa	ible	
ECTION 8: Exposure of	controls/personal protection	
-		
1.         Control parameters           4,4'-DDT (50-29-3)         6	OSHA PEL (TWA) (mg/m³)	1 mg/m <sup>3</sup>
1. Control parameters 4,4'-DDT (50-29-3) USA OSHA		1 mg/m <sup>3</sup>
1.       Control parameters         4,4'-DDT (50-29-3)       USA OSHA         .2.       Exposure controls	OSHA PEL (TWA) (mg/m³)	
.1. Control parameters 4,4'-DDT (50-29-3) USA OSHA .2. Exposure controls ppropriate engineering control	OSHA PEL (TWA) (mg/m³)	1 mg/m <sup>3</sup> neral room ventilation is usually required. posure. Gloves. Protective clothing. Protective goggles. Safety
.1. Control parameters 4,4'-DDT (50-29-3) USA OSHA .2. Exposure controls ppropriate engineering control	OSHA PEL (TWA) (mg/m³)	neral room ventilation is usually required.
.1. Control parameters 4,4'-DDT (50-29-3) USA OSHA .2. Exposure controls ppropriate engineering control Personal protective equipment	OSHA PEL (TWA) (mg/m³) Is : Either local exhaust or ge : Avoid all unnecessary exp glasses.	neral room ventilation is usually required.
.1. Control parameters 4,4'-DDT (50-29-3) USA OSHA .2. Exposure controls ppropriate engineering control Personal protective equipment	OSHA PEL (TWA) (mg/m³) Is : Either local exhaust or ge : Avoid all unnecessary exp glasses. : Wear chemically resistant penetration.	neral room ventilation is usually required. posure. Gloves. Protective clothing. Protective goggles. Safety
.1. Control parameters 4,4'-DDT (50-29-3) USA OSHA .2. Exposure controls ppropriate engineering control ersonal protective equipment land protection ye protection	OSHA PEL (TWA) (mg/m³) Is : Either local exhaust or ge : Avoid all unnecessary exp glasses. : Wear chemically resistant penetration. : Chemical goggles or safe	neral room ventilation is usually required. posure. Gloves. Protective clothing. Protective goggles. Safety
.1. Control parameters 4,4'-DDT (50-29-3) USA OSHA .2. Exposure controls appropriate engineering control personal protective equipment land protection Every protection	OSHA PEL (TWA) (mg/m³) Is : Either local exhaust or ge : Avoid all unnecessary exp glasses. : Wear chemically resistant penetration. : Chemical goggles or safe	neral room ventilation is usually required. posure. Gloves. Protective clothing. Protective goggles. Safety
.1. Control parameters 4,4'-DDT (50-29-3) USA OSHA .2. Exposure controls ppropriate engineering control Personal protective equipment	OSHA PEL (TWA) (mg/m³) Is : Either local exhaust or ge : Avoid all unnecessary exp glasses. : Wear chemically resistant penetration. : Chemical goggles or safe : Wear chemically protectiv contact.	neral room ventilation is usually required. posure. Gloves. Protective clothing. Protective goggles. Safety

Safety Data Sheet		
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and che	emical properties	
Physical state	: Liquid	
Color	Colorless.	
Odor	characteristic.	
pH	No data available	
Melting point	No data available	
Freezing point	No data available	
Boiling point	No data available	
Flash point	No data available	
Auto-ignition temperature	No data available	
Decomposition temperature	No data available	
Flammability (solid, gas)	Highly flammable liquid and vapor	
Relative density	No data available	
Solubility	No data available	
Explosive properties	No data available	
Oxidizing properties	No data available	
Explosion limits	No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Highly flammable liquid and vapor. May form flamm	nable/explosive vapor-air mixture.	
10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperatures	s. Open flame.	
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
May release flammable gases.		
<b>SECTION 11: Toxicological informatio</b>	n	
11.1. Information on toxicological effects		
Acute toxicity	Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.	
4,4'-DDT Standard		
ATE CLP (oral)	99.985 mg/kg body weight	
ATE CLP (dermal)	300.000 mg/kg body weight	
4,4'-DDT (50-29-3)		
LD50 oral rat	87 mg/kg	
LD50 dermal rabbit	300 mg/kg	
ATE CLP (oral)	87.000 mg/kg body weight	
ATE CLP (dermal)	300.000 mg/kg body weight	
methanol (67-56-1)		
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)	
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)	
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)	
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)	
ATE CLP (oral)	100.000 mg/kg body weight	
ATE CLP (dermal)	300.000 mg/kg body weight	
ATE CLP (gases)	700.000 ppmV/4h 3.000 mg/l/4h	
ATE CLP (vapors) ATE CLP (dust, mist)	0.500 mg/l/4h	
	0.000 mg/###	

Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
	Based on available data, the classification criteria are not met
Respiratory or skin sensitization	: Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
	Based on available data, the classification criteria are not met May cause cancer
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Causes damage to organs.
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - water	: Toxic to aquatic life with long lasting effects.	
4,4'-DDT (50-29-3)		
LC50 fish 1	0.01 mg/l Pimephales promelas (fathead minnow) 96 h	
LC50 other aquatic organisms 1	0.0034 mg/l Oncorhynchus mykiss (rainbow trouit) 96 h	
EC50 Daphnia 1	0.00108 mg/l Immolbilization - Daphnia magna (Water flea) 48 h	
LC50 fish 2	0.01 mg/l Lepomis macrochirus (Bluegill) 96 h	
LOEC (acute)	150 mg/l Oncorhynchus mykiss (rainbow trout) 3 d	
NOEC (acute)	113 mg/l Oncorhynchus mykiss (rainbow trout) 3 d	
methanol (67-56-1)		
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)	
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)	

12.2. Persistence and degradability 4.4'-DDT Standard		
_ '	May ague long term adverse effects in the environment	
Persistence and degradability	May cause long-term adverse effects in the environment.	
methanol (67-56-1)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O /g substance	
Chemical oxygen demand (COD)	1.42 g O /g substance	
ThOD	1.5 g O /g substance	
BOD (% of ThOD)	0.8 (Literature study)	
2.3. Bioaccumulative potential		
4,4'-DDT Standard		
Bioaccumulative potential	Not established.	
4,4'-DDT (50-29-3)		
BCF fish 1	46670 Oncorhynchus mykiss (rainbow trout) 20 d	
Log Pow	6.91	
methanol (67-56-1)		
BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)	
Log Pow	-0.77 (Experimental value; Other)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

Safety Data Sheet	
methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
Log Koc	Koc, PCKOCWIN v1.66; 1; Calculated value
12.5. Results of PBT and vPvB assessme No additional information available	ent
12.6. Other adverse effects	A usid release to the environment
Additional information	: Avoid release to the environment
<b>SECTION 13: Disposal consideratio</b>	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment. Hazardous waste due to toxicity.
<b>SECTION 14: Transport information</b>	
In accordance with ADR / RID / IMDG / IATA / A	ADN
14.1. UN number	
UN-No. (ADR)	: 1992
UN-No.(IATA)	: 1992
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IATA)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Transport document description (ADR)	: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II, (D/E), ENVIRONMENTALLY HAZARDOUS
14.3. Packing group	
	_
Class (ADR)	: 3
Classification code (ADR)	: FT1
Class (IATA)	: 3
Subsidiary risks (ADR) Hazard labels (ADR)	: 6.1 : 3, 6.1
Hazard labels (IATA)	: 3, 6.1
14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IATA)	: 11
14.5. Environmental hazards	· •
Dangerous for the environment	
Other information	: No supplementary information available.
14.6. Special precautions for user	
14.6.1. Overland transport	
Hazard identification number (Kemler No.)	: 336
Classification code (ADR)	: FT1
Orange plates	<b>336</b> <b>1992</b>
03/12/2015	EN (English LIS) 6/7

EN (English US)

## 4,4'-DDT Standard

### Safety Data Sheet

Salety Data Sheet				
Special provision (ADR) : 274				
Transport category (ADR)	: 2			
Tunnel restriction code (ADR)	: D/E			
Limited quantities (ADR)	: 11			
Excepted quantities (ADR)	: E2			
14.6.2. Transport by sea				
No additional information available				
14.6.3. Air transport				
CAO packing instructions (IATA) : 364				
CAO max net quantity (IATA) : 60L				
PCA packing instructions (IATA) : 352				
PCA Limited quantities (IATA) : Y341				
PCA limited quantity max net quantity (IATA) : 1L				
PCA max net quantity (IATA) : 1L				
PCA Excepted quantities (IATA) : E2				
ERG code (IATA) : 3HP				
14.6.4. Inland waterway transport				

Carriage prohibited (ADN)

: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no REACH candidate substance Contains no REACH Annex XIV substances.

### 15.1.2. National regulations

No additional information available

15.2.	Chemical	safety	assessment
-------	----------	--------	------------

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.