

Safety Data Sheet

Date of issue: 01/06/2017 Revision date: : Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Custom VOA Gases Mix

Product code : AL0-130104
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory Use Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Certified reference material for laboratory use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Phenova

6390 Joyce Dr. Suite 100

80403 Golden, CO - United States T 1-866-942-2978 - F 1-866-283-0269

info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924

ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225
Acute Tox. 3 (Oral) H301
Acute Tox. 3 (Dermal) H311
STOT SE 1 H370

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F+; R12 T; R23/24/25 T; R39/23/24/25

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02





GHS06

GHS08

Signal word (CLP) : Danger
Hazardous ingredients : methanol

Hazard statements (CLP) : H225 - Highly flammable liquid and vapor

H301+H311 - Toxic if swallowed or in contact with skin

H370 - Causes damage to organs

01/06/2017 EN (English US) 1/9

Safety Data Sheet

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

P233 - Keep container tightly closed

P260 - Do not breathe dust, fume, gas, mist, spray, vapors P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective gloves, protective clothing, eye protection, face protection P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P308+P313 - IF exposed or concerned: Get medical advice/attention

P361+P364 - Take off immediately all contaminated clothing and wash it before reuse

P370+P380 - In case of fire: Evacuate area

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

waste

No labeling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	99.93	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370	
bromomethane (Component)	(CAS No) 74-83-9 (EC no) 200-813-2 (EC index no) 602-002-00-2	0.01	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:gas), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Muta. 2, H341 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 1, H400 Ozone 1, H420	
chloroethane (Component) substance with a Community workplace exposure limit	(CAS No) 75-00-3 (EC no) 200-830-5 (EC index no) 602-009-00-0	0.01	Flam. Gas 1, H220 Press. Gas Carc. 2, H351 Aquatic Chronic 3, H412	
vinyl chloride, inhibited (Component) substance with a Community workplace exposure limit	(CAS No) 75-01-4 (EC no) 200-831-0 (EC index no) 602-023-00-7	0.01	Flam. Gas 1, H220 Carc. 1A, H350	
Name	Product identifier	Specific of	concentration limits	
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X		(3 = <c 10)="" 2,="" <="" h371<br="" se="" stot="">(C >= 10) STOT SE 1, H370</c>	

SECTION 4: First aid measures

4.1. Description of first aid m

First-aid measures general : Never give anything by mouth to an unconscious person. Call a POISON CENTER or

doctor/physician. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Wash with plenty of soap and water.

Wash contaminated clothing before reuse.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with

water for several minutes. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause cancer by inhalation.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Toxic in contact with skin.

01/06/2017 EN (English US) 2/9

Safety Data Sheet

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health

hazard

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapors/spray.

Emergency procedures : Ventilate area

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Hygiene measures : Do not eat, drink or smoke when using this product. Gently wash with plenty of soap and water.

Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before

reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed. Keep container tightly closed and in a

well-ventilated place. Keep away from any flames or sparking source.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

01/06/2017 EN (English US) 3/9

Safety Data Sheet

Personal protective equipment : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety







Hand protection : Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical

penetration.

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin

contact

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical propertie

Physical state : Liquid Color : Colorless. Odor characteristic. рΗ No data available Melting point No data available Freezing point No data available No data available **Boiling point** Flash point No data available : No data available Auto-ignition temperature Decomposition temperature No data available

Flammability (solid, gas) : Highly flammable liquid and vapor

Relative density : No data available
Solubility : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established. Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.

Custom VOA Gases Mix	
ATE CLP (oral)	100.070 mg/kg body weight
ATE CLP (dermal)	300.210 mg/kg body weight
bromomethane (74-83-9)	
LD50 oral rat	214 mg/kg (Rat)

01/06/2017 EN (English US) 4/9

Safety Data Sheet

Safety Data Sheet	
bromomethane (74-83-9)	
ATE CLP (oral)	214.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h
chloroethane (75-00-3)	
LC50 inhalation rat (mg/l)	107 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	40700 ppm/4h (Rat; Literature study)
ATE CLP (gases)	40700.000 ppmV/4h
ATE CLP (vapors)	107.000 mg/l/4h
ATE CLP (dust, mist)	107.000 mg/l/4h
methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h
Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
	Based on available data, the classification criteria are not met
Respiratory or skin sensitization	: Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
,	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
,	May cause cancer by inhalation May cause cancer
Reproductive toxicity	: Not classified
, top, oddoure toxion,	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Causes damage to organs.
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
,	Based on available data, the classification criteria are not met
Potential Adverse human health effects and	: Toxic if swallowed. Toxic in contact with skin.
t	. 10/10 il Ottalio III del III

SECTION 12: Ecological information

symptoms

Ecology - water

12.1. Toxicity	
Ecology - air	: Dangerous for the ozone layer.

bromomethane (74-83-9)	
LC50 fish 1	0.7 mg/l (LC50; 96 h; Oryzias latipes)
EC50 Daphnia 1	2 mg/l (EC50; 48 h)
Threshold limit algae 2	3.2 mg/l (EC50; 48 h)
chloroethane (75-00-3)	
LC50 fish 1	36 mg/l (LC50; 96 h; Salmo gairdneri)
EC50 Daphnia 1	58 mg/l (EC50; EU Method C.2; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 2	118 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Scenedesmus subspicatus; Static system; Fresh water; Experimental value)
vinyl chloride, inhibited (75-01-4)	
EC50 Daphnia 1	119 mg/l (LC50: ECOSAR: 48 h: Daphnia sp.: Fresh water)

: Harmful to aquatic life with long lasting effects.

01/06/2017 EN (English US) 5/9

Safety Data Sheet

vinyl chloride, inhibited (75-01-4)		
LC50 fish 2	210 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio; Semi-static	
	system; Fresh water; Experimental value)	
Threshold limit algae 1	77 mg/l (EC50; ECOSAR; 96 h; Algae; Fresh water)	
methanol (67-56-1)		
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)	
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)	
2.2. Persistence and degradability		
Custom VOA Gases Mix		
Persistence and degradability	May cause long-term adverse effects in the environment.	
bromomethane (74-83-9)		
Persistence and degradability	Not readily biodegradable in water.	
chloroethane (75-00-3)		
Persistence and degradability	Not readily biodegradable in water. No significant hydrolysis. Biodegradability in soil: not applicable. Not applicable (gas).	
vinyl chloride, inhibited (75-01-4)		
Persistence and degradability	Not readily biodegradable in water. Biodegradable in water. Biodegradable in the soil. Low potential for adsorption in soil.	
Biochemical oxygen demand (BOD)	0 g O /g substance	
BOD (% of ThOD)	0	
methanol (67-56-1)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O /g substance	
Chemical oxygen demand (COD)	1.42 g O /g substance	
ThOD	1.5 g O /g substance	
	* '	
ThOD BOD (% of ThOD)	1.5 g O /g substance	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential	1.5 g O /g substance	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix	1.5 g O /g substance 0.8 (Literature study)	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential	1.5 g O /g substance	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9)	1.5 g O /g substance 0.8 (Literature study) Not established.	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF)	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF)	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3)	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4).	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae)	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other)	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae)	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4)	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500).	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500).	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500).	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). < 10 (BCF; 72 h) 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 120 h; Bacteria)	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 2	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). < 10 (BCF; 72 h) 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 120 h; Bacteria) 40 (BCF; 24 h)	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 1 BCF other aquatic organisms 1 BCF other aquatic organisms 2 Log Pow	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). <p>< 10 (BCF; 72 h)</p> 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 120 h; Bacteria) 40 (BCF; 24 h) 1.58 (Test data; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 22 °C)	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 2 Log Pow Bioaccumulative potential	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). < 10 (BCF; 72 h) 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 120 h; Bacteria) 40 (BCF; 24 h) 1.58 (Test data; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 22	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 1 BCF other aquatic organisms 1 BCF other aquatic organisms 2 Log Pow	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). <p>< 10 (BCF; 72 h)</p> 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 120 h; Bacteria) 40 (BCF; 24 h) 1.58 (Test data; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 22 °C)	
ThOD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 2 Log Pow Bioaccumulative potential	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). <p>< 10 (BCF; 72 h)</p> 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 120 h; Bacteria) 40 (BCF; 24 h) 1.58 (Test data; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 22 °C)	
ThoD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 1 BCF other aquatic organisms 2 Log Pow Bioaccumulative potential methanol (67-56-1)	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). <p>< 10 (BCF; 72 h)</p> 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 24 h) 1.58 (Test data; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 22 °C) Low potential for bioaccumulation (Log Kow < 4). < 10 (BCF; 72 h; Leuciscus idus) -0.77 (Experimental value; Other)	
ThoD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 2 Log Pow Bioaccumulative potential methanol (67-56-1) BCF fish 1	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). <p>< 10 (BCF; 72 h)</p> 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 24 h) 1.58 (Test data; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 22 °C) Low potential for bioaccumulation (Log Kow < 4). < 10 (BCF; 72 h; Leuciscus idus)	
ThoD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 1 BCF other aquatic organisms 2 Log Pow Bioaccumulative potential methanol (67-56-1) BCF fish 1 Log Pow	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). < 10 (BCF; 72 h) 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 120 h; Bacteria) 40 (BCF; 24 h) 1.58 (Test data; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 22 °C) Low potential for bioaccumulation (Log Kow < 4). < 10 (BCF; 72 h; Leuciscus idus) -0.77 (Experimental value; Other)	
ThoD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 2 Log Pow Bioaccumulative potential methanol (67-56-1) BCF fish 1 Log Pow Bioaccumulative potential Mobility in soil	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). < 10 (BCF; 72 h) 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 120 h; Bacteria) 40 (BCF; 24 h) 1.58 (Test data; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 22 °C) Low potential for bioaccumulation (Log Kow < 4). < 10 (BCF; 72 h; Leuciscus idus) -0.77 (Experimental value; Other)	
ThoD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 2 Log Pow Bioaccumulative potential methanol (67-56-1) BCF fish 1 Log Pow Bioaccumulative potential methanol (67-56-1) BCF fish 1 Log Pow Bioaccumulative potential 2.4. Mobility in soil bromomethane (74-83-9)	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). <p>< 10 (BCF; 72 h)</p> 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 120 h; Bacteria) 40 (BCF; 24 h) 1.58 (Test data; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 22 °C) Low potential for bioaccumulation (Log Kow < 4). <p>< 10 (BCF; 72 h; Leuciscus idus)</p> -0.77 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500).	
ThoD BOD (% of ThOD) 2.3. Bioaccumulative potential Custom VOA Gases Mix Bioaccumulative potential bromomethane (74-83-9) BCF fish 1 Log Pow Bioaccumulative potential chloroethane (75-00-3) BCF other aquatic organisms 1 Log Pow Bioaccumulative potential vinyl chloride, inhibited (75-01-4) BCF fish 1 BCF fish 2 BCF other aquatic organisms 1 BCF other aquatic organisms 2 Log Pow Bioaccumulative potential methanol (67-56-1) BCF fish 1 Log Pow Bioaccumulative potential Mobility in soil	1.5 g O /g substance 0.8 (Literature study) Not established. 4.7 (BCF) 1.08 - 2.3 Low potential for bioaccumulation (Log Kow < 4). 7.6 ppb (BCF; Ostreidae) 1.43 (Experimental value; Other) Low potential for bioaccumulation (BCF < 500). < 10 (BCF; 72 h) 3.55 l/kg (BCF; BCFWIN) 1100 (BCF; 120 h; Bacteria) 40 (BCF; 24 h) 1.58 (Test data; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 22 °C) Low potential for bioaccumulation (Log Kow < 4). < 10 (BCF; 72 h; Leuciscus idus) -0.77 (Experimental value; Other)	

01/06/2017 EN (English US) 6/9

Safety Data Sheet

vinyl chloride, inhibited (75-01	-4)	
Log Koc	log Koc,SRC PCKOCWIN v1.66; 1.4; QSAR	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.	
methanol (67-56-1)		
Surface tension	0.023 N/m (20 °C)	

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 1992

 UN-No. (IATA)
 : 1992

 UN-No. (IMDG)
 : 1992

 UN-No.(ADN)
 : 1992

14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, TOXIC, N.O.S.

Proper Shipping Name (IATA) : Flammable liquid, toxic, n.o.s.

Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, TOXIC, N.O.S.

Proper Shipping Name (ADN) : FLAMMABLE LIQUID, TOXIC, N.O.S.

Transport document description (ADR) : UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol(67-56-1)), 3 (6.1), II, (D/E)

14.3. Packing group

Class (ADR) : 3 Classification code (ADR) : FT1 Class (IATA) : 3 : 3 Class (IMDG) Class (ADN) : 3 Classification code (ADN) : FT1 Subsidiary risks (ADR) : 6.1 Subsidiary risks (IMDG) : 6.1 Hazard labels (ADR) : 3, 6.1



Hazard labels (IATA) : 3, 6.1



Hazard labels (IMDG) : 3, 6.1



01/06/2017 EN (English US) 7/9

Safety Data Sheet

Hazard labels (ADN) : 3, 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IATA) : II
Packing group (IMDG) : II
Packing group (ADN) : II

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 336 Classification code (ADR) : FT1

Orange plates :

336 1992

Special provision (ADR): 274Transport category (ADR): 2Tunnel restriction code (ADR): D/ELimited quantities (ADR): 11Excepted quantities (ADR): E2

14.6.2. Transport by sea

Special provision (IMDG) : 274 Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) E2 Packing instructions (IMDG) : P001 : IBC02 IBC packing instructions (IMDG) Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP2, TP13 : F-E EmS-No. (Fire) EmS-No. (Spillage) : S-D : B Stowage category (IMDG)

Properties and observations (IMDG) : Flammable toxic liquid which is not specified by name in this class or, on account of its

characteristics, in some other class. Toxic if swallowed, by skin contact or by inhalation.

14.6.3. Air transport

CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L PCA packing instructions (IATA) : 352 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA max net quantity (IATA) : 1L PCA Excepted quantities (IATA) : E2 Special provision (IATA) : A3 ERG code (IATA) : 3HP

14.6.4. Inland waterway transport

Special provision (ADN) : 274, 802
Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, TOX, A

Ventilation (ADN) : VE01, VE02

Number of blue cones/lights (ADN) : 2
Carriage prohibited (ADN) : No

01/06/2017 EN (English US) 8/9

Safety Data Sheet

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.

01/06/2017 EN (English US) 9/9