

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Date of issue: 28/10/2015

Revision date: :

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : 624 Calibration Standard
Product code : AL0-101507
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory Use
Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Phenova
6390 Joyce Dr. Suite 100
80403 Golden, CO - United States
T 1-866-942-2978 - F 1-866-283-0269
info@phenova.com - www.phenova.com

1.4. Emergency telephone number

Emergency number : ChemTel Assistance (US/Canada) 1-800-255-3924
ChemTel Assistance (International) +1 813-248-0585

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 1	H224
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
Muta. 1B	H340
Carc. 1A	H350
STOT SE 1	H370
STOT RE 2	H373
Aquatic Chronic 3	H412
Ozone 1	H420

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.1; R45
Muta.Cat.2; R46
F+; R12
T; R23/24/25
T; R39/23/24/25
Xn; R48/20
N; R59
R52/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger

Hazardous ingredients : benzene, carbon tetrachloride, methanol, 1,1,2,2-tetrachloroethane, 1,3-dichloropropene, trans-, cis-1,3-Dichloropropene, 1,1,1-trichloroethane

Hazard statements (CLP) :

- H224 - Extremely flammable liquid and vapor
- H301+H311 - Toxic if swallowed or in contact with skin
- H340 - May cause genetic defects
- H350 - May cause cancer
- H370 - Causes damage to organs
- H373 - May cause damage to organs through prolonged or repeated exposure
- H412 - Harmful to aquatic life with long lasting effects
- H420 - Harms public health and the environment by destroying ozone in the upper atmosphere

Precautionary statements (CLP) :

- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P233 - Keep container tightly closed
- P260 - Do not breathe dust/fume/gas/mist/vapors/spray
- P270 - Do not eat, drink or smoke when using this product
- P273 - Avoid release to the environment
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P308+P313 - IF exposed or concerned: Get medical advice/attention
- P403+P235 - Store in a well-ventilated place. Keep cool

EUH phrases : EUH208 - Contains 1,3-dichloropropene, trans-(10061-02-6), 1,3-dichloropropene, (Z)-(10061-01-5). May produce an allergic reaction

No labeling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	95	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
benzene (Component)	(CAS No) 71-43-2 (EC no) 200-753-7 (EC index no) 601-020-00-8	0.2	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Muta. 1B, H340 Carc. 1A, H350 STOT RE 1, H372 Asp. Tox. 1, H304
bromodichloromethane (Component)	(CAS No) 75-27-4 (EC no) 200-856-7	0.2	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Muta. 2, H341 Carc. 1B, H350 STOT SE 3, H335
bromoform (Component)	(CAS No) 75-25-2 (EC no) 200-854-6 (EC index no) 602-007-00-X	0.2	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
chlorobenzene (Component)	(CAS No) 108-90-7 (EC no) 203-628-5 (EC index no) 602-033-00-1	0.2	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
chloroform (Component)	(CAS No) 67-66-3 (EC no) 200-663-8 (EC index no) 602-006-00-4	0.2	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 Repr. 2, H361d STOT RE 1, H372
carbon tetrachloride (Component)	(CAS No) 56-23-5 (EC no) 200-262-8 (EC index no) 602-008-00-5	0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Carc. 2, H351 STOT RE 1, H372 Aquatic Chronic 3, H412 Ozone 1, H420
1,2-dichlorobenzene (Component)	(CAS No) 95-50-1 (EC no) 202-425-9 (EC index no) 602-034-00-7	0.2	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1,3-dichlorobenzene (Component)	(CAS No) 541-73-1 (EC no) 208-792-1 (EC index no) 602-067-00-7	0.2	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
1,4-dichlorobenzene (Component)	(CAS No) 106-46-7 (EC no) 203-400-5 (EC index no) 602-035-00-2	0.2	Eye Irrit. 2, H319 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1,2-dichloroethane (Component) substance listed as REACH Candidate substance listed in REACH Annex XIV (1,2-dichloroethane (EDC))	(CAS No) 107-06-2 (EC no) 203-458-1 (EC index no) 602-012-00-7	0.2	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 1B, H350 STOT SE 3, H335
1,1-dichloroethene (Component)	(CAS No) 75-35-4 (EC no) 200-864-0 (EC index no) 602-025-00-8	0.2	Flam. Liq. 1, H224 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Carc. 2, H351
1,1-dichloroethane (Component) substance with a Community workplace exposure limit	(CAS No) 75-34-3 (EC no) 200-863-5 (EC index no) 602-011-00-1	0.2	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
toluene (Component)	(CAS No) 108-88-3 (EC no) 203-625-9 (EC index no) 601-021-00-3	0.2	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304
ethylbenzene (Component) substance with a Community workplace exposure limit	(CAS No) 100-41-4 (EC no) 202-849-4 (EC index no) 601-023-00-4	0.2	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Asp. Tox. 1, H304
1,1,2,2-tetrachloroethane (Component)	(CAS No) 79-34-5 (EC no) 201-197-8 (EC index no) 602-015-00-3	0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Aquatic Chronic 2, H411
1,3-dichloropropene, trans- (Component)	(CAS No) 10061-02-6	0.2	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335
cis-1,3-Dichloropropene (Component)	(CAS No) 10061-01-5 (EC no) 233-195-8 (EC index no) 602-030-00-5	0.2	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Methylene Chloride (Component)	(CAS No) 75-09-2 (EC no) 200-838-9 (EC index no) 602-004-00-3	0.2	Carc. 2, H351

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,1,1-trichloroethane (Component)	(CAS No) 71-55-6 (EC no) 200-756-3 (EC index no) 602-013-00-2	0.2	Acute Tox. 4 (Inhalation), H332 Ozone 1, H420
1,1,2-trichloroethane (Component)	(CAS No) 79-00-5 (EC no) 201-166-9 (EC index no) 602-014-00-8	0.2	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Carc. 2, H351
tetrachloroethylene (Component)	(CAS No) 127-18-4 (EC no) 204-825-9 (EC index no) 602-028-00-4	0.2	Carc. 2, H351 Aquatic Chronic 2, H411
trichloroethylene (Component) substance listed as REACH Candidate substance listed in REACH Annex XIV	(CAS No) 79-01-6 (EC no) 201-167-4 (EC index no) 602-027-00-9	0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Muta. 2, H341 Carc. 1B, H350 STOT SE 3, H336 Aquatic Chronic 3, H412

Name	Product identifier	Specific concentration limits
methanol (Component)	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	(3 ≤ C < 10) STOT SE 2, H371 (C ≥ 10) STOT SE 1, H370
carbon tetrachloride (Component)	(CAS No) 56-23-5 (EC no) 200-262-8 (EC index no) 602-008-00-5	(0.2 ≤ C < 1) STOT RE 2, H373 (C ≥ 1) STOT RE 1, H372

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: May cause cancer by inhalation.
Symptoms/injuries after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin.
Symptoms/injuries after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Extremely flammable liquid and vapor.
Explosion hazard	: May form flammable/explosive vapor-air mixture.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapors/spray.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up in absorbent material. Collect spillage.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Eliminate all ignition sources if safe to do so.
Hygiene measures : Do not eat, drink or smoke when using this product. Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.
Storage conditions : Keep in fireproof place. Keep container tightly closed. Keep container tightly closed and in a well-ventilated place. Keep away from any flames or sparking source.
Incompatible materials : Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

benzene (71-43-2)		
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm
USA OSHA	OSHA PEL (Ceiling) (ppm)	25 ppm
chlorobenzene (108-90-7)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	350 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	75 mppcf
1,4-dichlorobenzene (106-46-7)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	450 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	75 ppm
USA OSHA	OSHA PEL (STEL) (mg/m ³)	675 mg/m ³
USA OSHA	OSHA PEL (STEL) (ppm)	110 ppm

8.2. Exposure controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.
Personal protective equipment : Avoid all unnecessary exposure. Gloves. Protective clothing. Protective goggles. Safety glasses.



Hand protection : Wear chemically resistant protective gloves. Wear suitable gloves resistant to chemical penetration.
Eye protection : Chemical goggles or safety glasses. Safety glasses.
Skin and body protection : Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Colorless.

Odor : characteristic.

pH : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable liquid and vapor

Relative density : No data available

Solubility : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Sparks. Heat. Overheating. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.

624 Calibration Standard	
ATE CLP (oral)	104.515 mg/kg body weight
ATE CLP (dermal)	279.330 mg/kg body weight
benzene (71-43-2)	
LD50 oral rat	> 930 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; > 2000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	> 8240 mg/kg (Rabbit; Experimental value; 21 CFR 191.10; > 9.4; Rabbit)
LC50 inhalation rat (mg/l)	43.767 mg/l/4h (Rat; Experimental value)
LC50 inhalation rat (ppm)	13700 ppm/4h (Rat; Experimental value)
ATE CLP (gases)	13700.000 ppmV/4h
ATE CLP (vapors)	43.767 mg/l/4h
ATE CLP (dust, mist)	43.767 mg/l/4h
bromodichloromethane (75-27-4)	
LD50 oral rat	916 mg/kg (Rat)
ATE CLP (oral)	916.000 mg/kg body weight

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

bromoform (75-25-2)	
LD50 oral rat	933 mg/kg (Rat)
ATE CLP (oral)	933.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h
carbon tetrachloride (56-23-5)	
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h
chlorobenzene (108-90-7)	
LD50 oral rat	> 1427 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; >2000 mg/kg bodyweight; Rat)
LD50 dermal rat	> 2000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 2200 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	17 mg/l/4h (Rat)
LC50 inhalation rat (ppm)	3630 ppm/4h (Rat)
ATE CLP (gases)	3630.000 ppmV/4h
ATE CLP (vapors)	17.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
chloroform (67-66-3)	
LD50 oral rat	695 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 908 mg/kg bodyweight; Rat; OECD 401: Acute Oral Toxicity; Experimental value; 1117 mg/kg bodyweight; Rat)
LD50 dermal rabbit	> 20000 mg/kg (Rabbit; No reliable data available; >3980 mg/kg bodyweight; Rabbit)
ATE CLP (oral)	695.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h
1,2-dichlorobenzene (95-50-1)	
LD50 oral rat	500 mg/kg (Rat)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	9.5 mg/l/4h (Rat)
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (vapors)	9.500 mg/l/4h
ATE CLP (dust, mist)	9.500 mg/l/4h
1,3-dichlorobenzene (541-73-1)	
LD50 oral rat	580 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value)
LC50 inhalation rat (mg/l)	> 17.6 mg/l/4h (Rat; Literature study)
ATE CLP (oral)	580.000 mg/kg body weight
1,4-dichlorobenzene (106-46-7)	
LD50 dermal rat	> 6000 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 5 mg/l/4h (Rat)
1,1-dichloroethane (75-34-3)	
LD50 oral rat	725 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 2348 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	54 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	13000 ppm/4h (Rat; Literature study)
ATE CLP (oral)	725.000 mg/kg body weight
ATE CLP (gases)	13000.000 ppmV/4h
ATE CLP (vapors)	54.000 mg/l/4h
ATE CLP (dust, mist)	54.000 mg/l/4h
1,2-dichloroethane (107-06-2)	
LD50 oral rat	770 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rabbit	2800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	7.758 mg/l/4h (Rat; Experimental value)
LC50 inhalation rat (ppm)	1886 ppm/4h (Rat; Experimental value)

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

1,2-dichloroethane (107-06-2)	
ATE CLP (oral)	770.000 mg/kg body weight
ATE CLP (dermal)	2800.000 mg/kg body weight
ATE CLP (gases)	1886.000 ppmV/4h
ATE CLP (vapors)	7.758 mg/l/4h
ATE CLP (dust, mist)	7.758 mg/l/4h
1,1-dichloroethene (75-35-4)	
LD50 oral rat	200 - 1500 mg/kg (Rat)
LC50 inhalation rat (mg/l)	25.6 mg/l/4h (Rat)
LC50 inhalation rat (ppm)	6350 ppm/4h (Rat)
ATE CLP (oral)	200.000 mg/kg body weight
ATE CLP (gases)	6350.000 ppmV/4h
ATE CLP (vapors)	11.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
cis-1,3-Dichloropropene (10061-01-5)	
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (gases)	4500.000 ppmV/4h
ATE CLP (vapors)	11.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
1,3-dichloropropene, trans- (10061-02-6)	
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	1100.000 mg/kg body weight
ATE CLP (gases)	4500.000 ppmV/4h
ATE CLP (vapors)	11.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
ethylbenzene (100-41-4)	
LD50 oral rat	3500 mg/kg (Rat; Other; Experimental value)
LD50 dermal rabbit	15415 mg/kg (Rabbit; Literature study; Other; 15432 mg/kg; Rabbit; Experimental value)
LC50 inhalation rat (mg/l)	17.8 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	4000 ppm/4h (Rat; Literature study)
ATE CLP (oral)	3500.000 mg/kg body weight
ATE CLP (dermal)	15415.000 mg/kg body weight
ATE CLP (gases)	4000.000 ppmV/4h
ATE CLP (vapors)	17.800 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
Methylene Chloride (75-09-2)	
LD50 oral rat	> 2000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study)
1,1,2,2-tetrachloroethane (79-34-5)	
LD50 oral rat	250 mg/kg (Rat; Literature study)
LD50 dermal rabbit	3990 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	8.6 mg/l/4h (Rat; Literature study)
ATE CLP (oral)	250.000 mg/kg body weight
ATE CLP (dermal)	5.000 mg/kg body weight
ATE CLP (gases)	100.000 ppmV/4h
ATE CLP (vapors)	8.600 mg/l/4h
ATE CLP (dust, mist)	0.050 mg/l/4h
tetrachloroethylene (127-18-4)	
LD50 oral rat	> 2000 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; 3835 mg/kg bodyweight; Rat; Equivalent or similar to OECD 401; Experimental value; 3005 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	> 3000 mg/kg (Rabbit; Literature study; >10000 mg/kg bodyweight; Rabbit; Experimental value)
LC50 inhalation rat (mg/l)	27.58 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	3786 ppm/4h (Rat; Experimental value)
ATE CLP (gases)	3786.000 ppmV/4h
ATE CLP (vapors)	27.580 mg/l/4h
ATE CLP (dust, mist)	27.580 mg/l/4h

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

toluene (108-88-3)	
LD50 oral rat	> 2000 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; 5580 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	12223 mg/kg (Rabbit; Literature study; Other; >5000 mg/kg bodyweight; Rabbit; Experimental value)
LC50 inhalation rat (mg/l)	> 20 mg/l/4h (Rat; Literature study)
ATE CLP (dermal)	12223.000 mg/kg body weight
1,1,1-trichloroethane (71-55-6)	
LD50 oral rat	9600 mg/kg (Rat)
LD50 dermal rabbit	> 15800 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	99 mg/l/4h (Rat)
LC50 inhalation rat (ppm)	18400 ppm/4h (Rat)
ATE CLP (oral)	9600.000 mg/kg body weight
ATE CLP (gases)	18400.000 ppmV/4h
ATE CLP (vapors)	11.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
1,1,2-trichloroethane (79-00-5)	
LD50 oral rat	836 mg/kg (Rat; Literature study)
LD50 dermal rabbit	5377 mg/kg (Rabbit; Literature study; OECD 402: Acute Dermal Toxicity; 5380 mg/kg bodyweight; Rabbit; Experimental value)
LC50 inhalation rat (mg/l)	7.8 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	1413 ppm/4h (Rat; Literature study)
ATE CLP (oral)	836.000 mg/kg body weight
ATE CLP (dermal)	1100.000 mg/kg body weight
ATE CLP (gases)	1413.000 ppmV/4h
ATE CLP (vapors)	7.800 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
trichloroethylene (79-01-6)	
LD50 oral rat	4920 mg/kg (Rat)
LD50 dermal rabbit	> 20000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	66 mg/l/4h (Rat)
LC50 inhalation rat (ppm)	12000 ppm/4h (Rat)
ATE CLP (oral)	4920.000 mg/kg body weight
ATE CLP (gases)	12000.000 ppmV/4h
ATE CLP (vapors)	66.000 mg/l/4h
ATE CLP (dust, mist)	66.000 mg/l/4h
methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h

Skin corrosion/irritation	: Not classified Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified Based on available data, the classification criteria are not met
Respiratory or skin sensitization	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer. May cause cancer
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Causes damage to organs.

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - air	: Dangerous for the ozone layer.
Ecology - water	: Harmful to aquatic life with long lasting effects.

benzene (71-43-2)	
LC50 fish 1	5.3 mg/l (LC50; 96 h; Salmo gairdneri)
EC50 Daphnia 2	10 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)
Threshold limit algae 1	100 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)
bromoform (75-25-2)	
LC50 fish 2	7.1 mg/l (LC50; 96 h)
EC50 Daphnia 2	7.2 - 46 mg/l (EC50; 48 h)
carbon tetrachloride (56-23-5)	
LC50 fish 1	27 mg/l (LC50; 96 h; Lepomis macrochirus)
EC50 Daphnia 1	29 mg/l (EC50; 48 h)
Threshold limit algae 1	> 600 mg/l (EC0; 168 h)
chlorobenzene (108-90-7)	
LC50 fish 2	4.7 mg/l (LC50; 96 h)
EC50 Daphnia 2	0.59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
chloroform (67-66-3)	
LC50 fish 1	18.2 ppm (LC50; ASTM; 96 h; Oncorhynchus mykiss; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 2	152.5 mg/l (EC50; US EPA; 48 h; Daphnia magna; Static system; Salt water; Experimental value)
1,2-dichlorobenzene (95-50-1)	
LC50 fish 1	1.58 mg/l (LC50; 96 h)
EC50 Daphnia 2	0.74 mg/l (EC50; 48 h)
1,3-dichlorobenzene (541-73-1)	
LC50 fish 1	1.61 mg/l (LC50; 96 h)
EC50 Daphnia 1	1.2 mg/l (EC50; Equivalent or similar to OECD 202; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
1,4-dichlorobenzene (106-46-7)	
LC50 fish 2	1.12 mg/l (LC50; 96 h; Salmo gairdneri)
EC50 Daphnia 2	0.7 mg/l (EC50; 48 h)
1,2-dichloroethane (107-06-2)	
EC50 Daphnia 1	155 - 220 mg/l (EC50; 48 h)
LC50 fish 2	225 mg/l (LC50; 96 h; Salmo gairdneri)
1,1-dichloroethene (75-35-4)	
EC50 Daphnia 1	11.6 - 79 mg/l (EC50; 48 h)
LC50 fish 2	74 - 220 mg/l (LC50; 96 h; Lepomis macrochirus)
ethylbenzene (100-41-4)	
LC50 fish 2	4.2 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri; Semi-static system; Fresh water; Experimental value)
Methylene Chloride (75-09-2)	
LC50 fish 1	193 mg/l (LC50; 96 h; Pimephales promelas)
EC50 Daphnia 1	168.2 mg/l (EC50; 48 h)
1,1,1,2-tetrachloroethane (79-34-5)	
EC50 Daphnia 1	9.32 mg/l (EC50; 48 h; Daphnia magna; Static system)
LC50 fish 2	20.3 ppm (LC50; 96 h; Pimephales promelas; Flow-through system)
Threshold limit algae 1	136 mg/l (EC50; 96 h; Selenastrum capricornutum)

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

tetrachloroethylene (127-18-4)	
EC50 Daphnia 1	8.5 mg/l (EC50; ASTM; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 2	3.64 mg/l (EC50; Other; 72 h; Chlamydomonas angulosa; Fresh water)
1,1,1-trichloroethane (71-55-6)	
LC50 fish 1	40 mg/l (LC50; 96 h; Lepomis macrochirus)
EC50 Daphnia 2	2384 mg/l (EC50; 48 h)
1,1,2-trichloroethane (79-00-5)	
LC50 fish 2	40 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Static system; Fresh water; Experimental value)
EC50 Daphnia 2	77.8 mg/l (EC50; 48 h; Daphnia magna)
Threshold limit algae 1	200 mg/l (ErC50; OECD 201; Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Experimental value)
trichloroethylene (79-01-6)	
LC50 fish 1	40.7 mg/l (LC50; 96 h; Pimephales promelas)
EC50 Daphnia 2	20.8 mg/l (EC50; 48 h)
methanol (67-56-1)	
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)
12.2. Persistence and degradability	
624 Calibration Standard	
Persistence and degradability	May cause long-term adverse effects in the environment.
benzene (71-43-2)	
Persistence and degradability	Readily biodegradable in water. Ozonation in water. Forming sediments in water. Biodegradable in the soil. Low potential for adsorption in soil. Photolysis in the air.
Biochemical oxygen demand (BOD)	2.18 g O ₂ /g substance
Chemical oxygen demand (COD)	2.15 g O ₂ /g substance
ThOD	3.10 g O ₂ /g substance
BOD (% of ThOD)	0.70
bromodichloromethane (75-27-4)	
Persistence and degradability	Not readily biodegradable in water.
bromoform (75-25-2)	
Persistence and degradability	Not readily biodegradable in water.
carbon tetrachloride (56-23-5)	
Persistence and degradability	Not readily biodegradable in water. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	0 g O ₂ /g substance
Chemical oxygen demand (COD)	0.001 g O ₂ /g substance
ThOD	0.21 g O ₂ /g substance
BOD (% of ThOD)	0
chlorobenzene (108-90-7)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Low potential for adsorption in soil.
Biochemical oxygen demand (BOD)	0.03 g O ₂ /g substance
Chemical oxygen demand (COD)	0.41 g O ₂ /g substance
ThOD	2.06 g O ₂ /g substance
BOD (% of ThOD)	0.0145
chloroform (67-66-3)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Low potential for adsorption in soil.
ThOD	0.33 - 1.35 g O ₂ /g substance
BOD (% of ThOD)	0.015 - 0.06
1,2-dichlorobenzene (95-50-1)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Non degradable in the soil. Adsorbs into the soil.
BOD (% of ThOD)	0

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

1,3-dichlorobenzene (541-73-1)	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. Non degradable in the soil. Low potential for adsorption in soil.
1,4-dichlorobenzene (106-46-7)	
Persistence and degradability	Readily biodegradable in water. Non degradable in the soil. Adsorbs into the soil.
ThOD	1.52 g O ₂ /g substance
BOD (% of ThOD)	0.65 (Calculated value)
1,1-dichloroethane (75-34-3)	
Persistence and degradability	Not readily biodegradable in water. Not readily biodegradable in the soil. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	0.002 g O ₂ /g substance
ThOD	0.81 - 0.97 g O ₂ /g substance
1,2-dichloroethane (107-06-2)	
Persistence and degradability	Not readily biodegradable in water. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.0014 g O ₂ /g substance
Chemical oxygen demand (COD)	1.025 g O ₂ /g substance
ThOD	0.98 g O ₂ /g substance
BOD (% of ThOD)	0.001 (Calculated value)
1,1-dichloroethene (75-35-4)	
Persistence and degradability	Not readily biodegradable in water.
cis-1,3-Dichloropropene (10061-01-5)	
Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil.
1,3-dichloropropene, trans- (10061-02-6)	
Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil.
ethylbenzene (100-41-4)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Low potential for adsorption in soil.
Biochemical oxygen demand (BOD)	1.44 g O ₂ /g substance (20d.)
Chemical oxygen demand (COD)	2.1 g O ₂ /g substance
ThOD	3.17 g O ₂ /g substance
BOD (% of ThOD)	45.4 (20 days)
Methylene Chloride (75-09-2)	
Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil.
1,1,2,2-tetrachloroethane (79-34-5)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. No (test)data on mobility of the substance available.
tetrachloroethylene (127-18-4)	
Persistence and degradability	Not readily biodegradable in water. Low potential for adsorption in soil.
Biochemical oxygen demand (BOD)	0.06 g O ₂ /g substance
ThOD	0.39 g O ₂ /g substance
BOD (% of ThOD)	0.15
toluene (108-88-3)	
Persistence and degradability	Readily biodegradable in water. easily degradable in the soil.
Biochemical oxygen demand (BOD)	2.15 g O ₂ /g substance
Chemical oxygen demand (COD)	2.52 g O ₂ /g substance
ThOD	3.13 g O ₂ /g substance
BOD (% of ThOD)	0.69
1,1,1-trichloroethane (71-55-6)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil.
1,1,2-trichloroethane (79-00-5)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Highly mobile in soil.
trichloroethylene (79-01-6)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Biodegradable in the soil under anaerobic conditions.
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O ₂ /g substance
Chemical oxygen demand (COD)	1.42 g O ₂ /g substance

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

methanol (67-56-1)	
ThOD	1.5 g O ₂ /g substance
BOD (% of ThOD)	0.8 (Literature study)
12.3. Bioaccumulative potential	
624 Calibration Standard	
Bioaccumulative potential	Not established.
benzene (71-43-2)	
BCF fish 1	19 (BCF)
BCF fish 2	< 10 (BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 3 days; Leuciscus idus; Flow-through system; Fresh water; Experimental value)
BCF other aquatic organisms 1	30 (BCF; 24 h; Chlorella sp.)
Log Pow	2.13 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
bromodichloromethane (75-27-4)	
Log Pow	1.88 - 2.24
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
bromoform (75-25-2)	
BCF fish 1	3.2 (BCF)
BCF fish 2	7.7 - 21 (BCF)
BCF other aquatic organisms 1	31.7 (BCF)
BCF other aquatic organisms 2	8.3 - 21 (BCF)
Log Pow	2.37 - 2.5
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
carbon tetrachloride (56-23-5)	
BCF fish 1	17.4 (BCF)
BCF fish 2	3.1 - 11 (BCF)
BCF other aquatic organisms 1	300 (BCF; 24 h; Chlorella sp.)
BCF other aquatic organisms 2	20 - 114 (BCF)
Log Pow	2.75 - 2.83 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
chlorobenzene (108-90-7)	
BCF fish 1	447 (BCF)
BCF fish 2	3.9 - 40 (BCF)
Log Pow	2.8 - 2.98
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
chloroform (67-66-3)	
BCF fish 2	1.4 - 4.7 (BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 42 days; Cyprinus carpio; Flow-through system; Fresh water; Experimental value)
Log Pow	1.97 (Experimental value; 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
1,2-dichlorobenzene (95-50-1)	
BCF fish 1	90 - 260 (BCF)
BCF fish 2	270 - 560 (BCF)
BCF other aquatic organisms 1	14791 (BCF)
BCF other aquatic organisms 2	28840 (BCF)
Log Pow	3.43 (Experimental value)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).
1,3-dichlorobenzene (541-73-1)	
BCF fish 1	420 - 740 (BCF)
BCF fish 2	57 - 370 (BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 8 weeks; Cyprinus carpio; Flow-through system; Fresh water; Experimental value)
Log Pow	3.4 - 4.6
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
1,4-dichlorobenzene (106-46-7)	
BCF fish 1	100 (BCF)
BCF fish 2	214 - 720 (BCF)
BCF other aquatic organisms 1	20 (BCF)
Log Pow	3.39 - 3.62 (Experimental value)

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

1,4-dichlorobenzene (106-46-7)	
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).
1,1-dichloroethane (75-34-3)	
BCF fish 1	1.2 (BCF; 109 h; Pisces)
Log Pow	1.79 - 1.99 (Literature study)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
1,2-dichloroethane (107-06-2)	
BCF fish 1	2 (BCF; 336 h)
Log Pow	1.45 - 1.48 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
1,1-dichloroethene (75-35-4)	
BCF fish 1	2.5 - 6.4 (BCF)
BCF fish 2	7.8 (BCF)
Log Pow	1.48 - 2.17
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
cis-1,3-Dichloropropene (10061-01-5)	
Log Pow	2.06
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
1,3-dichloropropene, trans- (10061-02-6)	
Log Pow	2
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
ethylbenzene (100-41-4)	
BCF fish 1	1 (BCF; Other; 6 weeks; Oncorhynchus kisutch; Flow-through system; Salt water; Literature study)
BCF fish 2	15 - 79 (BCF)
BCF other aquatic organisms 1	4.68 (BCF)
Log Pow	3.15 (Experimental value; 3.6; Experimental value; EU Method A.8: Partition Coefficient; 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
Methylene Chloride (75-09-2)	
BCF fish 1	2 - 40 (BCF)
Log Pow	1.25 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
1,1,2,2-tetrachloroethane (79-34-5)	
BCF fish 1	4.1 - 13.2 (BCF; Cyprinus carpio)
Log Pow	2.39 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
tetrachloroethylene (127-18-4)	
BCF fish 2	25.8 - 77.1 (BCF; 8 weeks)
Log Pow	3.40 (Experimental value; 2.53; Experimental value; Equivalent or similar to OECD 107; 23 °C)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
toluene (108-88-3)	
BCF fish 2	90 (BCF; 72 h; Leuciscus idus; Static system; Fresh water)
Log Pow	2.73 (Experimental value; Other; 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
1,1,1-trichloroethane (71-55-6)	
BCF fish 1	9 (BCF; 672 h)
BCF fish 2	0.7 - 4.9 (BCF)
BCF other aquatic organisms 1	0.7 - 34 (BCF)
BCF other aquatic organisms 2	0 - 10 (BCF)
Log Pow	2.46 - 2.49 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).
1,1,2-trichloroethane (79-00-5)	
BCF fish 1	$> 0.7 - < 6.7$; BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 6 weeks; Cyprinus carpio; Flow-through system; Experimental value
Log Pow	1.89 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{BCF} < 500$).

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

trichloroethylene (79-01-6)	
BCF fish 1	17 (BCF; 336 h)
BCF fish 2	90 (BCF; 72 h; Leuciscus idus)
BCF other aquatic organisms 1	3440 (BCF; 120 h)
BCF other aquatic organisms 2	4270 (BCF; 120 h)
Log Pow	2.29 - 2.42 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
methanol (67-56-1)	
BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)
Log Pow	-0.77 (Experimental value; Other)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
12.4. Mobility in soil	
benzene (71-43-2)	
Surface tension	0.029 N/m (20 °C)
Log Koc	Koc,134.1; QSAR
bromoform (75-25-2)	
Surface tension	0.045 N/m (25 °C)
carbon tetrachloride (56-23-5)	
Surface tension	0.027 N/m (20 °C)
Ecology - soil	Soil contaminant. May be harmful to plant growth, blooming and fruit formation.
chlorobenzene (108-90-7)	
Surface tension	0.033 N/m (25 °C)
Log Koc	Koc,PCKOCWIN v1.66; 268; Calculated value; log Koc; PCKOCWIN v1.66; 2.42; Calculated value
chloroform (67-66-3)	
Surface tension	0.0271 N/m (20 °C)
Log Koc	Koc,Other; 86.7-367; Experimental value; log Koc; Other; 1.94-2.56; Experimental value
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
1,2-dichlorobenzene (95-50-1)	
Surface tension	0.037 N/m (20 °C)
1,3-dichlorobenzene (541-73-1)	
Surface tension	0.036 N/m (20 °C)
Log Koc	log Koc,Other; 2.56; Experimental value
1,4-dichlorobenzene (106-46-7)	
Surface tension	0.030 N/m (55 °C)
1,1-dichloroethane (75-34-3)	
Surface tension	0.025 N/m
1,2-dichloroethane (107-06-2)	
Surface tension	0.032 N/m (20 °C)
Log Koc	log Koc,1.52; Koc; 121
ethylbenzene (100-41-4)	
Surface tension	0.029 N/m
Log Koc	log Koc,PCKOCWIN v1.66; 2.71; Calculated value; Koc; PCKOCWIN v1.66; 517.8; Calculated value
Methylene Chloride (75-09-2)	
Surface tension	0.028 N/m (20 °C)
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
1,1,2,2-tetrachloroethane (79-34-5)	
Surface tension	0.035 N/m (20 °C)
tetrachloroethylene (127-18-4)	
Surface tension	0.0313 N/m (20 °C)
Log Koc	Koc,141; Experimental value; log Koc; 2.15; Experimental value
toluene (108-88-3)	
Surface tension	0.03 N/m (20 °C)
1,1,1-trichloroethane (71-55-6)	
Surface tension	0.025 N/m

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

1,1,1-trichloroethane (71-55-6)	
Ecology - soil	Soil contaminant.
1,1,2-trichloroethane (79-00-5)	
Surface tension	0.033 N/m (20 °C)
Log Koc	log Koc, SRC PCKOCWIN v2.0; 1.64 - 1.783; Estimated value
trichloroethylene (79-01-6)	
Surface tension	0.03 N/m
methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
Log Koc	Koc, PCKOCWIN v1.66; 1; Calculated value

12.5. Results of PBT and vPvB assessment

Component	
1,2-dichloroethane (107-06-2)	This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII
trichloroethylene (79-01-6)	This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Additional information : Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1992
UN-No. (IATA) : 1992

14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IATA) : FLAMMABLE LIQUID, TOXIC, N.O.S.
Transport document description (ADR) : UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II, (D/E)

14.3. Packing group

Class (ADR) : 3
Classification code (ADR) : FT1
Class (IATA) : 3
Subsidiary risks (ADR) : 6.1
Hazard labels (ADR) : 3, 6.1



Hazard labels (IATA) : 3, 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IATA) : II

14.5. Environmental hazards

Other information : No supplementary information available.

624 Calibration Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 336
Classification code (ADR) : FT1
Orange plates :



Special provision (ADR) : 274
Transport category (ADR) : 2
Tunnel restriction code (ADR) : D/E
Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E2

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
PCA packing instructions (IATA) : 352
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA max net quantity (IATA) : 1L
PCA Excepted quantities (IATA) : E2
ERG code (IATA) : 3HP

14.6.4. Inland waterway transport

Carriage prohibited (ADN) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains substance on the candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: 1,2-dichloroethane (EC 203-458-1, CAS 107-06-2), Trichloroethylene (EC 201-167-4, CAS 79-01-6)

Contains REACH Annex XIV substances:

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information : None.

PHV SDS EU

Copyright 2015 Phenova, Inc. License granted to make paper copies for internal use. The information contained in this Safety Data Sheet is based on our current knowledge. The information contained in this document should be used only as a guide for appropriate safety precautions and should not be considered to be all inclusive. Users should make their own investigation to determine the suitability of the information for their particular purposes. The document does not represent any guarantee of the properties of the product. Phenova, Inc. shall not be held liable for any damage resulting from the handling or use of this product. Visit the Terms and Conditions of Sale link at www.phenova.com for additional terms and conditions of sale.